009-01-1995

Eared Grebe

Podiceps nigricollis

Location: Presque Isle State Park Date: April 6, 1995 Time: 4:30 to 5:00 PM Weather: Cloudy, visibility good Observer: Jerry McWilliams Optics: Zeiss 10 X 40 Binocular and TSN 4 Kowa scope at 30 X Details of sighting and description of bird: I had just arrive at the first parking lot past Leo's when I spotted a lone grebe no more than 100 feet from shore. I immediately identified the grebe as an Eared Grebe in rather worn basic plumage. The bill was thin and all black and the lower mandible angled upwards about mid-way giving the bill an upturned look. The forehead was steep forming a point near the middle of the crown. There appeared to be a lot of wear on the crown as the feathers appeared to be quite ragged. The face and neck were dusky with a tinge of buff to the neck. The patch of white behind the ear was larger than on most of the Eared Grebes I have seen in this plumage, proabably another indication of wear. Some white was also present near the lower part of the neck near the water line. The upper body was dark gray with smudges of white present along the flanks. Compared to nearby Horned Grebes, the body appeared to be shorter, the back was humped more, the neck appeared slimmer, and the head was shorter and not bulbous looking. See photograph.

The Eared Grebe was seen again on 8 April by myself and Ed kwater On April 22 & 23, one was seen again in the same area (possibly the same bird?), but this one was in near full alternate definitive plumage. Can Eared Grebes molt from basic to alternate plumage in fourteen days?

Jul ! fin

PHOTOGRAPHS TO FOLLOW

· · · ·

and 1

009-01-1995

EARED GREBE IN ERIE COUNTY, PA. Ed Kwater

On Saturday October 7th 1995 my wife Cheryland 1 were birding at Preoque Isle State Park, Erie Co, PA. As : we headed east and crossed the bridge over Long Pond I noticed 2 small grebes on the south side of the road. On stopping and investigating we discovered that one was a fied-billed Grebe, Poditymbus podiceps and the fother was an Eared Grebe, Podiceps rigricollis. A few minutes earlier we had just been watching a Homed Grebe, Podicaps auritur. The Eared Grebe was about the size of a Homed Grebe and very slightly smaller & slimmer than the Pied-billed. The bird had a very distinctive head shape. The forehead was very steep rising to a distinct peak on the crown unlike the Hatter-crowned profile of a corned Grebe . The reck was thinner than in a Homed Grebe and the bill was noticeably fines, appearing slightly uptured. This was due to the very straight culmen. I lunge une the Eared Grebe was very different than a Homed Grebe. . The forehead and crown were dark blackish gray and _ this continued as a this stripe down the nape and also down below the level of the eye, merging into dusky gray cheeks. The foreneck was also dusky gray with a slight brounish tinge. This pattern was completed different from the Homed Grebe which had a sharp cut-off between the dark cap and white cheeks (at the level of the eye) and also a white foreneck. The upper parts of the Eared Grebe were a dark blackish gray and the flanks were a paler dusky gray. The ins was bright red. When first observed the bird was about 80 yards away from the bridge. It then swam directly

009-01-1995

200

direct.

مدرك العمام

• • • • • •

towards us, diving several times on the way, and ending up only about 15 yards from the bridge. It remained at this distance for several minutes and I managed to take several photographs of the bird. A group of joggers then flushed the bird and it flew off, revealing white secondaries. It circled the marina several times then passed about 100 feet overhead and headed out to Lake Eric. The flight action was very rapid, tast and direct. The unigs were relatively long and narrow and the body dumpy and thick. The neck and head were held very alightly below the level of the mid __line of the body in flight. The Eared Grebe was observed through × 10

The Eared Grebe was observed through × 10 binowlar and × 30 spotting scope for approx. 10 minutes. I have had extensive experience with this sp. before, both in Europe and North America including 6-figure numbers in California. I have also seen at least 8 Eared Grebes at Presque Isle in the last 10 years.

and the second second

. -

an a chaine ann an an an an an an an air a' an a

and a second second

			' <u></u>						
						Record No.:009-01-1995			
	Pennsy	Ivania C)rnitholo	gical Re	cords Co	ommitte	e		
Voting Tabulation - Round # 1 of									
Species: Eared	d Grebe	(Podiceps	nigrico]	llis)					
Date of Sighting: Location: PRESC County: ERIE Observer(s): Jo Ed Kwat Date of Submiss Submitted by: Written Descripti Recording: NON	OUE ISLE erry McW er ion: 199 Jerry Mc ion: YES	STATE PA illiams 5 Williams	RK ; Ed Kwat	er					
	Class I	Class II	Class III	Class IV	Class V				
Member					A	В	С	Abstain	
F. Haas	\times								
N. Pulcinella	X								
E. Kwater	\times								
R. Ickes	\times								
G. McWilliams	\times								
P. Schwalbe	$\left \times \right $								
S. Feldstein	\times								
TOTALS	Z								
DECISION	$ \times$								
Comments:									
Signature (Secret	ary):	Z.	C Ka	uas	Date	: 5	-1-2	76	