Description

Submission Date 2014-04-07 14:50:50 **Observer's Name** Paul Cooper E-mail pcooper@princetonhydro.com **Phone** 6108123597 Observer's Address Street Address: 17 Rock Ridge Road City: Upper Black Eddy State / Province: PA Postal / Zip Code: 18972 Country: United States Names of additional observers Devitch Farbotnik **Species (Common Name)** Eared Grebe **Species (Scientific Name)** Podiceps nigricollis Number of individuals Age(s) and Plumage(s) and Sex Adult non-breeding (if known) **Observation Date and Time** 04-06-2014 7:50 AM Did you submit this sighting to Yes eBird? Link to eBird checklist http://ebird.org/ebird/view/checklist?subID=S17767599 County **Bucks** Location (City, Borough, Haycock Township Township) Exact Site (E.g. Name of park, Lake Nockamixon Fishing Pier lake, road) **GPS** coordinates of sighting N 40.4562, W 75.2355 **Habitat** Cove of a large impoundment Distance to bird As close as 5 yds, up to 300 yds Viewing conditions Clear, good Optical equipment used Alpen 20-60x80 scope, Nikon Monarch 7 10x42, and Panasonic Lumix FZ40

The most obvious feature of the bird is the peak of the head located over the eye. No matter in what posture, level of alertness, or behavior the forward peak maintained the

same conformation. The cap and auriculars are quite dark and a single narrow stripe ran down the back of the head to the top of the neck. The lower cheeks and the back of the head are white/light gray. The neck is dark gray as are the wings. The flanks are a mottled gray. The bill is slightly upturned. The eye is bright red. This grebe seemed to float high in the water and the back was quite domed.

Behavior (be as detailed as possible about what the bird was doing)

This bird was associating with four Horned Grebes in various stages of transitional plumage. Throughout the duration of the sighting, nearly two hours and still present when I departed, the birds were swimming around and actively foraging with frequent diving. It also engaged in a limited amount of preening. For a period of about two or three minutes the bird and at least one of the Horned Grebes appeared to start settling into a sleeping posture. Several times pedestrians, anglers, and boaters caused the birds some alarm and they responded by swimming and some short flights.

Separation from similar species (How you eliminated others)

As mentioned above, this bird was mixed in with Horned Grebes. Compared to the Horned Grebes, this bird was smaller, exhibited a taller, domed profile of the body, had the head peak above the eye rather than the rear of head, had different plumage details, and lacked the white bill tip.

Are you positive of your identification? (Why or why not)

Yes. While the field marks stand on their own, the contrast provided by the Horned Grebes leaves no doubt.

During

Sibley Birds

Supporting evidence (check all that apply)

Photograph

Upload images, audio, video or drawings



P1040289.JPG

P1040319.JPG



P1040336.JPG



P1040343.JPG



P1040344.JPG



P1040346.JPG

Click to edit

PORC-webform00198

Description

Submission Date 2014-05-03 18:38:50 **Observer's Name** Philip Stollsteimer E-mail philstoll@outlook.com **Phone** 215-860-6677 **Observer's Address** Street Address: 277 Saxony Dr. City: Newtown State / Province: PA Postal / Zip Code: 18940 Country: United States Names of additional observers Barbara Stollsteimer **Species (Common Name)** Eared Grebe **Species (Scientific Name)** Podiceps nigricollis Number of individuals Age(s) and Plumage(s) and Sex Adult in winter plumage; possibly immature (if known) **Observation Date and Time** 04-16-2014 1:50 PM Did you submit this sighting to Yes eBird? Link to eBird checklist http://ebird.org/ebird/view/checklist?subID=S17921326 County **Bucks** Location (City, Borough, Quakertown Township) Exact Site (E.g. Name of park, Lake Nockamixon; Parking Lot #1 lake, road) **Habitat** Along the shoreline swimming in the lake Distance to bird 30 feet at most, got even about 10 feet away Viewing conditions Close, clear viewing, however slightly back lit Optical equipment used Eagle optics 8x42 binoculars, photographed with Cannon EOS T3i Rebel, Sigma 50-500mm lens

Horned Grebes.

Plain grey bodied bird. Distinct peak above the eye. White patches on lower cheek that extended to back of head. Thin, solid colored beak with no light tip compared to the adjacent

Behavior (be as detailed as possible about what the bird was doing)

Bird was consistently diving along shore edge. The farthest it ever got from the shore was about 30 ft. Was about 50-75 feet from a Horned Grebe. They were rarely next to each other, but captured one side by side shot.

Separation from similar species (How you eliminated others)

The conveniently adjacent HOGR made it easier to compare. Had no light tip on the beak like the HOGR did. Had an over-all more delicate looking beak. Had a very distinct peak above the eye on top of its head. No stripe down the beak like a Pied-billed Grebe and greyer rather than a tan color.

Discussion – anything else relevant to the observation that will aid the committee in evaluating it:

An Eared Grebe was seen two weeks prior to this sighting. Possible that this is the same bird.

Are you positive of your identification? (Why or why not)

Yes because after being able to positively identify it ourselves, August Mirabella, ebird compiler for Bucks County, confirmed the report.

Supporting evidence (check all that apply)

Photograph

Upload images, audio, video or drawings



IMG 9198 Eared Grebe (2).jpg



IMG 9199 Eared Grebe (2).jpg



IMG_9203 Eared Grebe (4).jpg



IMG_9240 Comparisaon Grebes (4).jpg

Click to edit

PORC-webform00200

Rare Bird Report

Submission Date 2014-04-07 14:50:50

Observer's Name Paul Cooper

E-mail pcooper@princetonhydro.com Phone 6108123597

Observer's Address Street Address: 17 Rock Ridge Road City: Upper Black Eddy State / Province: PA

Postal / Z ip Code: 18972 Country: United States

Names of additional observers Devitch Farbotnik

Species (Common Name) Eared Grebe Species (Scientific Name) Podiceps nigricollis

Number of individuals 1

Age(s) and Plumage(s) and Sex (if known) Adult non-breeding

Observation Date and Time 04-06-2014 7:50 AM

Did you submit this sighting to eBird? Yes

Link to eBird checklist http://ebird.org/ebird/view/checklist?subID=S17767599

County Bucks

Location (City, Borough, Township) Haycock Township

Exact Site (E.g. Name of park, lake, road) Lake Nockamixon Fishing Pier

GPS coordinates of sighting N 40.4562, W 75.2355

Habitat Cove of a large impoundment

Distance to bird As close as 5 yds, up to 300 yds

Viewing conditions Clear, good

Optical equipment used Alpen 20-60x80 scope, Nikon Monarch 7 10x42, and Panasonic Lumix FZ 40

Description The most obvious feature of the bird is the peak of the head

located over the eye. No matter in what posture, level of alertness, or behavior the forward peak maintained the same conformation. The cap and auriculars are quite dark and a single narrow stripe ran down the back of the head to the top of the neck. The lower cheeks and the back of the head are white/light gray. The neck is dark gray as are the wings. The flanks are a mottled gray. The bill is slightly upturned. The eye is bright red. This grebe seemed to float high in the water and the back was quite domed.

Behavior (be as detailed as possible about what the bird was doing)

This bird was associating with four Horned Grebes in various stages of transitional plumage. Throughout the duration of the sighting, nearly two hours and still present when I departed, the birds were swimming around and actively foraging with frequent diving. It also engaged in a limited amount of preening. For a period of about two or three minutes the bird and at least one of the Horned Grebes appeared to start settling into a sleeping posture. Several times pedestrians, anglers, and boaters caused the birds some alarm and they responded by swimming and some short flights.

Separation from similar species (How you eliminated others)

As mentioned above, this bird was mixed in with Horned Grebes. Compared to the Horned Grebes, this bird was smaller, exhibited a taller, domed profile of the body, had the head peak above the eye rather than the rear of head, had different plumage details, and lacked the white bill tip.

Are you positive of your identification ? (Why or why not)

Yes. While the field marks stand on their own, the contrast provided by the Horned Grebes leaves no doubt. **During** Sibley Birds

Supporting evidence (check all that apply) multiple Photographs

Rare Bird Report

Submission Date 2014-04-07 14:50:50

Observer's Name Paul Cooper

E-mail pcooper@princetonhydro.com Phone 6108123597

Observer's Address Street Address: 17 Rock Ridge Road City: Upper Black Eddy State / Province: PA

Postal / Z ip Code: 18972 Country: United States

Names of additional observers Devitch Farbotnik

Species (Common Name) Eared Grebe Species (Scientific Name) Podiceps nigricollis

Number of individuals 1

Age(s) and Plumage(s) and Sex (if known) Adult non-breeding

Observation Date and Time 04-06-2014 7:50 AM

Did you submit this sighting to eBird? Yes

Link to eBird checklist http://ebird.org/ebird/view/checklist?subID=S17767599

County Bucks

Location (City, Borough, Township) Haycock Township

Exact Site (E.g. Name of park, lake, road) Lake Nockamixon Fishing Pier

GPS coordinates of sighting N 40.4562, W 75.2355

Habitat Cove of a large impoundment

Distance to bird As close as 5 yds, up to 300 yds

Viewing conditions Clear, good

Optical equipment used Alpen 20-60x80 scope, Nikon Monarch 7 10x42, and Panasonic Lumix FZ 40

Description The most obvious feature of the bird is the peak of the head

located over the eye. No matter in what posture, level of alertness, or behavior the forward peak maintained the same conformation. The cap and auriculars are quite dark and a single narrow stripe ran down the back of the head to the top of the neck. The lower cheeks and the back of the head are white/light gray. The neck is dark gray as are the wings. The flanks are a mottled gray. The bill is slightly upturned. The eye is bright red. This grebe seemed to float high in the water and the back was quite domed.

Behavior (be as detailed as possible about what the bird was doing)

This bird was associating with four Horned Grebes in various stages of transitional plumage. Throughout the duration of the sighting, nearly two hours and still present when I departed, the birds were swimming around and actively foraging with frequent diving. It also engaged in a limited amount of preening. For a period of about two or three minutes the bird and at least one of the Horned Grebes appeared to start settling into a sleeping posture. Several times pedestrians, anglers, and boaters caused the birds some alarm and they responded by swimming and some short flights.

Separation from similar species (How you eliminated others)

As mentioned above, this bird was mixed in with Horned Grebes. Compared to the Horned Grebes, this bird was smaller, exhibited a taller, domed profile of the body, had the head peak above the eye rather than the rear of head, had different plumage details, and lacked the white bill tip.

Are you positive of your identification ? (Why or why not)

Yes. While the field marks stand on their own, the contrast provided by the Horned Grebes leaves no doubt. **During** Sibley Birds

Supporting evidence (check all that apply) multiple Photographs