



PENNSYLVANIA RARE BIRD REPORT FORM

This form is presented as a convenience and guide. It can be used if desired, but is not necessary for submitting a report. Species requiring documentation are those on the Review List or not on the Official List of Birds of Pennsylvania. Send documentation to:

Nick Pulcinella, Secretary Pennsylvania Ornithological Records Committee 613 Howard Ave. West Chester, PA 19380 nickpul@bellatlantic.net

331-01-2003

| SPECIES (common and scientific name) Red Phalarope Phalaropus fulicatia Subspecies, if known |
|--|
| NUMBER OF INDIVIDUALS SEX(ES) male |
| AGE(S) AND PLUMAGE(S) (e.g. immature; adult in breeding plumage; year for gulls; basic or alternate if you prefer those terms; state of molt if applicable): |
| DATE OF OBSERVATION 5/25/03 TIME 0830 to 1130 am |
| LOCATION (city, borough, township) Lower Mount Bethel Township |
| EXACT SITE (e.g. name of park, lake, road) Martins Creek Flyash Basin owned by PPL |
| OBSERVER REPORTING: Name Michael Schall Address 11 49 Mickley Ave City Whitehall State PA ZIP 18052 e-mail (optional) matischall @ yahov. phone (optional) 610 - 435 - 2781 OTHER OBSERVERS (only those who saw and identified the bird with you): Bi(K la) its out Address |
| OTHER OBSERVERS (only those who saw and identified the bird with you): Rick Wiltrout, Adam, Kathy, and Floyd Miller, Devich & Steve Farbetalk, Dave DeReamus, perhaps another ropeople |
| HABITAT (e.g. mowed field, woodland edge, any other details) Flyash Basin |
| DISTANCE TO BIRD 75 to 100 yards |
| VIEWING CONDITIONS (sky, weather, position of sun relative to you) Overcast, some mist when I found bird bird bird it stopped after first how |
| OPTICAL EQUIPMENT USED 10×42 Pentax Birculars, Leica Afo-Televid 77 Scope |
| DESCRIPTION (Include as much detail as you observed – size relative to other species present; "jizz"= e.g. posture, body shape, and proportions; colors and patterns of plumage; bill, eye, and leg characteristics; other features relevant to this individual): |
| See the attached sheet for my description. My Obscription was writen using my notes taken on May 25 |
| |
| |
| (Please use an additional page if necessary) |

| side to side picking at the water with its bill but did not spin in a complete circle. It was very busy pecking at the water surface a high percentage |
|--|
| circle. It was now buy pecking at the water suctors a high correction |
| |
| of the time it was observed. The side to side spin was about 1800. It flew |
| several times, stayingclose to the water but not traveling more than 50 yards at a time, the few short flights made happened before other observers arrived, |
| VOCALIZATIONS NOTE |
| VOCALIZATIONS FOOTO |
| · · · · · · · · · · · · · · · · · · · |
| |
| |
| SUPPORTING EVIDENCE IF ANY: |
| Photograph Yes Video recording Audio recording Drawing Through LEICA |
| SUPPORTING EVIDENCE IF ANY: Photograph Yes Video recording Audio recording Drawing Photographer/recorder/illustrator: Name Floyd Miller Scotting Scope. |
| |
| Address 2197 George Lone City Bath State PA ZIP |
| e-mail (optional) phone (optional) 6 10 - 759 - 2065 |
| Please include a copy of the photograph or recording with your report, and accompany it with a complete written |
| documentation if the identification is obvious to you. If you made a drawing, please include it. |
| |
| IF THIS IS A DEAD BIRD: |
| General condition |
| in collected (by permit), location of speciment in known |
| SEPARATION FROM SIMILAR SPECIES (how you eliminated others) |
| See my attached sheet |
| |
| |
| |
| |
| DISCUSSION. Another also relevant to the about attention that will aid the committee in evaluating its |
| DISCUSSION - Anything else relevant to the observation that will aid the committee in evaluating it: Many skilled birders were able to view this bird and none had |
| any doubts that it was something other than a Red Phalarope. |
| This is the first county sighting and I believe a rarity in PA |
| THE TATE CHANGE CONTINUE TO THE PRINCE OF TH |
| |
| The photos taken are very good and shoold leave no doubt to identification |
| in breeding plumage. |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. |
| The photos taken are very good and shoold leave no doubt to identification |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002. Saw 100+ Red |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002. Saw 100+ Red |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002, Saw 100+ Red |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a Positive IO. The |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a Positive IO. The |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on 2 occassions in Northampton County (winter plumage) |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a Positive IO, The Phalarope was in breeding Plumage and a quick check in the a field guides I had available made it a no doubter. |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on 2 occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a Positive IO, The Phalarope was in breeding Plumage and a quick check in the 2 field guides I had available made if a no doubter. |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Oec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a Positive IO, The Phalarope was in breeding Plumage and a quick check in the 2 field guides I had available made if a no doubter. REFERENCES CONSULTED: During observation Peterson Feld Guide & Nat. Geographic "Birds of Moth America" |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Dec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a Positive IO, The Phalarope was in breeding Plumage and a quick check in the a field guides I had available made it a no doubter. |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Oec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a lositive IO. The Phalarope was in breeding Plumage and a guick a heak in the a field guides I had available made if a no doubter. REFERENCES CONSULTED: During observation leterson Field Guide & Nat. Geographic "Birds of Morth America" After observation Sibley Guide to Birds |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Oec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a Positive IO, The Phalarope was in breeding Plumage and a quick check in the 2 field guides I had available made if a no doubter. REFERENCES CONSULTED: During observation Peterson Feld Guide & Nat. Geographic "Birds of Moth America" |
| The photos taken are very good and shoold leave no doubt to identification of the Red Phalarope. (Please use an additional page if necessary) PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES In Oec 2002, Saw 100+ Red Phalaropes on a Pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a pelagic all in Winter Plumage. Have seen Red-necked Phalarope on a occassions in Northampton County (winter plumage) ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) This is a lositive IO. The Phalarope was in breeding Plumage and a guick a heak in the a field guides I had available made if a no doubter. REFERENCES CONSULTED: During observation leterson Field Guide & Nat. Geographic "Birds of Morth America" After observation Sibley Guide to Birds |

5/25/03

I found the Phalarope on the Flyash Basin at around 0830 with a mist/drizzle coming down. A stalled storm system on the East Coast may have brought this bird inland. After viewing the bird through my scope for 5 minutes, I went to my vehicle to check my field guides. I thought it was a Red Phalarope because of the reddish neck and underparts and thick bill but wanted to be sure. After checking my 2 guides, I grabbed my cell phone and went back to the flyash to make sure it was still there. I called Rick Wiltraut and a few other birders so someone else could verify my find. Rick arrived in 35 minutes and others arrived later. Floyd Miller brought a digital camera for pictures. Amazingly the bird stayed until the next morning allowing other birders a chance to see this rare bird.

The bill was thick and yellow in color with a black tip. It was shorter and thicker than the 2 Red-Necked Phalaropes I have seen, which had long needlelike black bills. The neck and underparts were chestnut-red with no streaks or markings. The head had a dark brownish cap and forehead and there were white cheek patches that partially encompassed its dark eyes. The upperparts were dark brown with buff or golden feather fringes. Part of the white wing stripe could be seen when it was sitting. Most of the time it was jabbing its bill at the water's surface, moving side to side but never spinning in a complete circle. Several times it flew to a new spot but always within a short distance. This got me nervous because no one else had arrived. In flight, the white wing stripes could be seen on the upperparts. Underneath, the body looked dark and the wing linings were white. It was a consensus among the birders that it was a male because the reddish underparts were not extremely bright and the white face patches were not extremely pronounced as seen in the field guides. It stayed in the water the entire time and was by itself. The legs were not seen well and size estimated at about 8 inches.

Comparisons:

Paging through my Sibley Guide for shorebirds that might be similar, which have reddish underparts and less than 10 inches that might be possible alternatives yielded only 2 species. Red Knots in breeding plumage have similar reddish underparts but are larger, stocky birds with black bills, a grayish back, and no white face patches. Curlew Sandpipers are reddish underneath but have a very different long decurved black bill and rufous color on its back and no white face patches when in breeding plumage.

The most likely confusing birds would be the Red-Necked and Wilson's Phalaropes. Bill length, color, and shape elliminates these 2 species. Both have long needlelike, black bills. The Phalarope observed had a shorter thick bill that was yellow with a black tip. The Red Phalarope was in breeding plumage, which makes it easier to distinguish from the other species. Neither have the complete reddish underparts like the Red Phalarope. The two Red-Necked Phalaropes I have seen (both in winter plumage) had longer thinner necks compared to the shorter, thick neck of this Red Phalarope. The white cheek patch is not present on a Red-Necked Phalarope and Wilson's has a white throat with a dark stripe going thru the head and a gray cap which elliminates these two species. In flight, the Red-Necked and Wilson's show primarily white underparts and this Phalarope had completely dark (reddish) underparts.

Record No: 331-01-2003

Pennsylvania Ornithological Records Committee

Voting Tabulation - Round One

Species: Red Phalarope (Phalaropus fulicaria))

Date of Sighting: 25 May 2003 to 25 May 2003 Location: MARTIN'S CREEK FLYASH BASIN

County: NORTHAMPTON

Observer(s): Michael Schall, Rick Wiltruat, Devich Farbotnik, Dave DeReamus mobs

Date of Submission: 2003 Submitted by: Michael Schall

Written Description: Yes Photo: Yes Specimen: No Recording: No

| | 1 | | 1 | | 1 | | 1 | |
|------------------------|---------|----------|-----------|---------------|---------------|---------------|---------|---------|
| Member | Class I | Class II | Class III | Class IV-A | Class IV-B | Class IV-C | Class V | Abstain |
| G. Armistead R W.ITIMT | X | | | | | | | |
| D. Heathcote | × | | | | | | | |
| P. Guris | X | | | | | | | |
| J. Stanley | × | | | | | | | |
| E. Witmer | X | | | | | | | |
| R. Leberman | × | | | | | | | |
| M. Sharp | X | | | | | | | |
| TOTALS | 7 | | | | | | | |
| DECISION | × | | | | | | | |

Comments:

Signature (Secretary)

MAMIL

Date: 3/1/05