FIRST LANGHING GULL RECORD FOR BUTLER COUNTY
Ed Kwater.

On Sunday September 8th 1996, while searching for storm-driver seabirds at Lake Arthur (Horraine State Park, Butter County) I found a juverile Laughing Coull, Larus atricilla, the first county record. The bird was observed between 9.00 and 9.20 a.m. in the day - use area on the south shore and between 6.30 and 7.30 p.m. off the Crescent Bay boat launch. It was in extremely fresh plurnage without any gray basic feathers whatsoever. The bird was slightly esmaller and noticeably slimmer than the accompanying Ring-billed Gulls, L. delawarensis. The unings were slightly namower but much longer in proportion to the body, the "hard" being particularly long (pinnaries). The flight was more graceful than that of a Ring-billed Gull.

The head, neck and breast were largely a mid-tone faun brown color apart from the forehead and chin which were whiter. There was a thin white eyelet both above and below the eye. The belly and undertail coverts were white. The martle, scapulous and upperwing coverts were faum brown with narrow whitish edges. The greater secondary coverts were a grayer color than the rest of the upperwing. The tertials were dark brown with more conspicuous white edges. The secondaries were very dark, almost black with white tips forming a conspicuous thin white trailing edge to the wing. The primaries and primary coverts were also very dark, almost black, with small whitish tips to the primary coverts. The nump and uppertail were white, contrasting sharply

black with a conspicuous white tip. The underwigs were largely dark apport from the underwing coverts which were a very pale faum brown with a thin dark brown bar across them which joined up with dark brown axillaries. The bill was relatively long, black and held at a downward angle in Hight. The bird was observed at ranges of 40 yards to 300 yards, mainly in Hight but poorly several times on the water at great range when it looked very brown. The light was excellent during the observation period. Optical equipment used was a x 10 binocular and x 30 spotting scope. I have studied many thowards of Laughing Grulls in all plumages in PA; NY; NJ; VA; NC; FL and Britain (2).

dork bar across coverts

long namow wings

underwing pattern

axillaries

white rump

block tail with white tip

white

torchead and chin

drooping black bill I white underports

dark secondary bor with white trailing edge to "arm"

 very dark primaries and primary coverts

Juverile Laughing Gull Lake Arthur 9/8/96

Record No.: 337-01-1996

Pennsylvania Ornithological Records Committee

Voting Tabulation - Round # 1 of

Species: Laughing Gull (Larus atricilla)

Date of Sighting: 8 September 1996 to 8 September 1996

Location: MORAINE STATE PARK

County: BUTLER
Observer(s): Ed Kwater
Date of Submission: 1996
Submitted by: Ed Kwater

Written Description: YES

Photo: NO

Specimen: NO

Recording: NONE

					Class V			
Member	Class I	Class II	Class III	Class IV	Α	В	С	Abstain
F. Haas			X					
N. Pulcinella			X					
E. Kwater			X					
R. Ickes			X					
G. McWilliams			X					
P. Schwalbe			X					
S. Feldstein			X					
TOTALS			7		-			
DECISION			X					

Comments:

Signature (Secretary):

F- Chaos

Date: 8-16-97