August 26, 2005

Sandra Lockerman

Thank you for submitting the description of the Jaeger you found on the Susquehanna River in Harrisburg on September 19, 2003 after the passage of Hurricane Isabel. The report was unanimously accepted as a Jaeger sp.

Jaeger identification is notoriously difficult. In my experience both Pomarine and Parasitic can impart a fairly distinctive jizz even at distance, or under poor conditions (or both). Often after identifying a bird I find it difficult to explain why I made such an ID. Your description left no doubt that you saw a Jaeger but there was nothing definitive described of the birds plumage. For example, you first sentence said "Bird approximately same size as Ring-billed Gull..". Using the average lengths given by Sibley and not considering the longer tail of a Jaeger a Parasitic Jaeger is 16.5 inches, a Ring-billed Gull is 17.5 inches, and a Pomarine is 18.5 inches. So speaking approximately all three species are the same size.

Isabel produced a unprecedented fallout of pelagic birds. Even without a specific identification your documentation will add to the record of the historic event. Thanks again for sending in the description.

Sincerely

Matt Sharp Chair: Pennsylvania Ornithological Records Committee.

## PENNSYLVANIA RARE BIRD REPORT FORM

This form is presented as a convenience and guide. It can be used if desired, but is not necessary for submitting a report. Species requiring documentation are those on the Review List or not on the Official List of Birds of Pennsylvania. Send documentation to: Nick Pulcinella, Secretary Pennsylvania Ornithological Records Committee	
Pennsylvania Ornithological Records Committee 613 Howard Ave. West Chester, PA 19380 nickpul@bellatlantic.net	
SPECIES (common and scientific name) Pomarine Jaeger (Stercorarius pomarinu Subspecies, if known	.5)
NUMBER OF INDIVIDUALS SEX(ES) UNKNOWN	
AGE(S) AND PLUMAGE(S) (e.g. immature; adult in breeding plumage; year for gulls; basic or alternate if you prefer those terms; state of molt if applicable): Inght morph adult (possible breeding plumage)	
DATE OF OBSERVATION Sept 19, 2003 TIME 5:35 PM	
LOCATION (city, borough, township) Harrisburg	
EXACT SITE (e.g. name of park, lake, road) 2345 N. Front St Riverside Park - Harrish	irq
OBSERVER REPORTING: NameSandra J. Lockerman Address_3830 Lexing ton 6t CityarrisburgState_PAZIP17109 e-mail (optional) <u>lockerman@</u> phone (optional)7176570509 Paonline.com OTHER OBSERVERS (only those who saw and identified the bird with you):	
HABITAT (e.g. mowed field, woodland edge, any other details) edge of Susquehanna River downtown Harrisburg, no riparian edge	
DISTANCE TO BIRD 1000-1200 yards across the river	
VIEWING CONDITIONS (sky, weather, position of sun relative to you) <u>Overcast</u> low clouds, winds 5-10 mph, no sun visible	
OPTICAL EQUIPMENT USED Swarovski 10x42	
DESCRIPTION (Include as much detail as you observed - size relative to other species present; "jizz"= e.g. posture, body shape, and proportions; colors and patterns of plumage; bill, eye, and leg characteristics; other features relevant to this individual): Bird approximate by same Size as Ring -billed gull but held its wings out from the body more. Than a guil. The body Was bulky and the wingspan was 2X-3X longer than the body	
There was a white area inderneath, no breast band or belly band. that extended from the upper breast to the <b>feas</b> . There was also a light colored area on the back of the hape that was prominent when the bird turned. The subouette of the bird was more of an elongated cros then of an X. The tail appeared to have a small extension of the feathers, approximately 74 of the tail's length. The overall color of the bird was a dark brack except for the area's noted above. The wings	ŝS
also had a paleness to the underside in the area of the primaries	

(Please use an additional page if necessary.)

Ļ

complete written <u>f this bird wa</u> <u>s a siow</u> <u>is were elimina</u> <u>he length of</u> <u>ing it: This</u> <u>wricane</u> <u>urd had been</u>
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
f this bird wa s a siow is were elimined he length of
s a siow is were eliminate he length of
s a siow is were eliminate he length of
s a siow is were eliminate he length of
s a siow is were eliminate he length of
s a siow is were eliminate he length of
s a siow is were eliminate he length of
s a siow is were eliminate he length of
he length of
ing it: <u>This</u>
ing it: <u>Ihis</u>
urricane
und had been
Specco
·····
nourot
acquir at
gu us
<u> </u>
saw the uning
oration was
st all of PA's
ST ULL UT PAS
· Endlow R! d
: Eastern Birds ing Program
ing trogram
-

· ,

.

Record No: 332-04-2003

## Pennsylvania Ornithological Records Committee

## Voting Tabulation - Round One

Species: Pomarine Jaeger (Stercorarius pomarinus)

Date of Sighting: 19 September 2003 to 19 September 2003 Location: HARRISBURG County : DAUPHIN Observer(s): Sandra Lockerman

Date of Submission: 2003 Submitted by: Sandra Lockerman

`.

Written Description: Yes		Photo: N	o S	pecimen: No	Recording: No			
Member	Class I	Class II	Class III	Class IV-A	Class IV-B	Class IV-C	Class V	Abstain
G. Armistcad-R. W. ITrant					X			
D. Heathcote					X			
P. Guris				X				
J. Stanley				x				
E. Witmer				X				
R. Leberman			×					
M. Sharp						X		
TOTALS			1	3	2	I.		
DECISION				X				
Comments:    (4	,							