


Long-tailed
Jager
Sonverticke PA
8-27-05
Jak Pagne





## PENNSYLVANIA RARE BIRD REPORT FORM

This form is presented as a convenience and guide. It can be used if desired, but is not necessary for submitting a report. Species requiring documentation are those on the Review List or not on the Official List of Birds of Pennsylvania. Send documentation to:

Nick Pulcinella, Secretary
Pennsylvania Ornithological Records Committee
613 Howard Ave.

334-01-2005

West Chester, PA 19380 nickpul@bellatlantic.net

SPECIES (common and scientific name) Long-tailed Jarger Strongicaudus Subspecies, if known
NUMBER OF INDIVIDUALS SEX(ES)Unknown
AGE(S) AND PLUMAGE(S) (e.g. immature; adult in breeding plumage; year for gulls; basic or alternate if you prefer those terms; state of molt if applicable): adult in breeding plumage; - tril strawes missing
DATE OF OBSERVATION 8-27-65 TIME FOUND 1:40 pm 17ft 2:15 pm
LOCATION (city, borough, township) Somerset Borough
EXACT SITE (e.g. name of park, lake, road) Somerset Lake
OBSERVER REPORTING:  Name
HABITAT (e.g. mowed field, woodland edge, any other details) sitting on lake or flying and circling about lake  DISTANCE TO BIRD sitting 350-500 yds, flying as close as 150 yds to intaily
VIEWING CONDITIONS (sky, weather, position of sun relative to you) 63° very 16w cloud Ceiling,
OPTICAL EQUIPMENT USED " 10x42 b.nocs Olympus D-40 700m D.s.t.) Comer-
DESCRIPTION (Include as much detail as you observed – size relative to other species present; "jizz" = e.g. posture, body shape, and proportions; colors and patterns of plumage; bill, eye, and leg characteristics; other features relevant to this individual):  See a flacted Description and Naviative.
,
(Please use an additional page if necessary.)

	VOCALIZATIONS NONE
	SUPPORTING EVIDENCE IF ANY. B See COMON SE DE DOW
	Photograph X Video recording Audio recording Drawing Copy of field drawing
	Photographer/recorder/illustrator:  Name 1 eff Pane
	Address
	CityStateZIP
	e-mail (optional) phone (optional) Please include a copy of the photograph or recording with your report, and accompany it with a complete written
	documentation if the identification is obvious to you. If you made a drawing, please include it.
	IF THIS IS A DEAD BIRD:
	General condition
_	SEPARATION FROM SIMILAR SPECIES (how you eliminated others) Parasitic Jueger was the Main roll out be him of factors Ica us to Long-taked. The compast between back color and primaries and lack of brack band on isol warn well seen on the flying bird the lack of a white flesh on undow. In primary shorts and in a chast with ma band would release formitic The darkendowings and lightlending codge of primaries see
べん	now at tractors 122 us to Long-Palled. IN a compact between that Color and primaries and lact of bract Danson
×	a crest with no bord would rule at ferritis The derkunder nos and lightlending care of primaries see
c	realization is a rare bird and it does not seem to be associated with any particular went a part
4	DISCUSSION - Anything else relevant to the observation that will aid the committee in evaluating it: We wish to rail stranges but sible states try are other botton by the would hard and no
ď	ers on to bird but a dearth of local avid birdus and the short time bird present weeks
·	ers on the bird but a dearth of local avid birders and the start time bird present nearly pictures would be nice but our did the best we could with wenter distance and engine
١,	got an e-mil rocut on 8/28 that west victing had its first Long-tailed Jacque in Jetherson
	act an e-mil spert on' 8/28 that west virginia had its first long-tailed Jacger in Jethyon Aux 24-26, 2005 That bird had some word full photographs token of it - perhaps than he
Q,	will two at to be two of several travelling areherd?
	(Please use an additional page if necessary)
	PREVIOUS EXPEDIENCE WITH THIS AND/OR SIMILAR SPECIES LIVE A. T. A. T. W. L. S. S. L.
,	PREVIOUS EXPERIENCE WITH THIS AND/OR SIMILAR SPECIES We have not previously seen have to.
r	exites on pelagic voyages and one hurricene tossed bird at Somuset Lake on 97
	ARE YOU POSITIVE OF YOUR IDENTIFICATION? (why or why not) Yes weather and district were ideal, but all salient points support Long-tailed Jager over other species.
• •	- 10021 POT ALL SALLOWY DOLLIS SUPPORT CON POTAL SPECIES
_	
	REFERENCES CONSULTED:
	During observation Sible Cite
	After characters No. 11 8 . 8 . 8 . 10 Cml
	After observation 1801.500 Se-00.1801
	DATE OF THIS REPORT: 8-28-05 SIGNATURE OF OBSERVER  After observation  May 1.30  Section 121  Lawretta Payne

Deveral digiscoped pictors were taken including the magnified ones here. In bisact is visible with no banding ones thre combact between black wing typs and lightly courts and wantle are readily identifiable. We will include a dix with the vaw pictors in trees anyon wants to look at the isst. The all gray looking pictors is taken though the right burelof the Surveyshy while looking the ways the Afranciew of birds on garage is burily visible upperled quiter.

## Description and Narrative Long-tailed Jaeger

At 8:00 a.m. on Saturday, August 27,2005, Jeff had driven by Somerset Lake on his way to work and observed some shorebirds at the north end and many swallows feeding at the lake surface in the light rain and low cloud ceiling. Hoping to find a Purple Martin and to refind a Western Sandpiper rot County year lists, Retta met Jeff after work and they headed back to the lake. Arriving at the southern end at about 1:30 P.m., they walked up the dam and started glassing the swallows. At 1:40 Jeff noticed a bird sitting on the water (first thought with binoculars was darkish backed gull with black on the head—possible Laughing?) at 400-500yards and put the scope on it. The bird showed the following characteristics: a short, thick, black bill; a dark cap from upper mandible through eye and half way down the neck when extended; white on breast, sides of face and hind neck, a medium gray with some brown tinge on mantle and wing coverts; contrasting black, long pointed primaries; and the tail appeared all black and roughly the same length as the wing tips. Jeff felt Jaeger from this first look but was not sure which species. He told Retta that they had a good bird and left her to study it while he went back to the car for the digital camera and a Sibley Guide.

Retta had noted the above characteristics and had seen a pale yellow splash on the cheek when the bird turned. The bird was mostly sitting with its head in a low resting position, but it became more alert when larger birds flew by. It did not seem to be agitated by a fishing boat about one hundred yards away from it. At one point a Great Blue Heron flew over and the bird jumped off the water, made a tight turn, and then landed. Although brief, there was not a noticeable white flash in the wings and at this point they started to think that it might be a Long-tailed.


Jeff attempted several pictures with their small Olympus digital through the scope. They do not have a scope bracket for the camera and centering shots at high magnification was proving difficult. A rudimentary sketch was being drawn when the bird got up and flew north (at about 1:55) and proceeded up the lake. Retta could see it against the trees for a while and could not see any white wedges on the dark ventral surface of the wings. Jeff was mostly dropping the camera and paper scraps and the bird was lost to sight.

They left to go up the lake to try to relocate the bird. A phone call to fellow Somerset County birder Scott Bastian was unsuccessful. There was a fair amount of despair because everything was looking good for Long-tailed, but without better photos and looks at the flying bird they were afraid it was going to be a tough call.

Retta jumped out at the boat launch that is mid way up the lake, and before Jeff could get the scope etc. down to the lake she had refound the bird, it was now about 1:05. This time it was a little closer, perhaps 350 to 400 yards, and a couple more pictures were attempted and would be the clearest. The wing and tail tips still looked equal in length. The bird was more active with head up and looking around more frequently. After about 5 minutes it got up and started flying. Its general appearance while flying was of a light, quick bird flying with wings held in a bowed position when viewed head on. The undersides of the narrow, pointed wings were uniformly dark. When circling back towards them, there was a thin, lighter edge on the front edge of the primaries. The tail

appeared all dark with a moderate wedge shape and some irregular scalloping of individual retrices was present. No streamers projected from the central retrices. The undertail and belly appeared dark gray gradually shading to a white chest. There was no dark barring across the chest. The bird circled higher for several minutes then came lower across the water and was directly in front of the boat launch at its closest approach at about 150 yards. It then circled up again and disappeared over the trees headed south/southeast at about 1:15.

A later trip back to the lake at 6:00 p.m. was unsuccessful at relocating the bird.



lopy field notes 8/27/05 long-tailed Jaeger Somuset Lake Jeff Payne

Record No: 334-01-2005

## Pennsylvania Ornithological Records Committee

## **Voting Tabulation - Round One**

Species: Long-tailed Jaeger

(Stercorarius longicaudus)

Date of Sighting: 27 August 2005 to 27 August 2005

Location: SOMERSET LAKE

County: SOMERSET

Observer(s): Jeff Payne, Retta Payne

Date of Submission: 2005

Submitted by: Jeff Payne, Retta Payne

Written Description: Yes

Photo: Yes

Specimen: No

Recording: No

Member	Class I	Class II	Class III	Class IV-A	Class IV-B	Class IV-C	Class V	Abstain
R. Wiltraut	X							
A. Guarente	X							
P. Guris				X				
J. Stanley	X							
E. Witmer	X							
J. Heller	X							
M. Sharp	×							
TOTALS	6			(				
DECISION	X							

Comments:

611

Signature (Secretary)

Date: / 4/0