Michael Schall 1149 Mickley Ave. Whitehall PA 18052

Thank you for sending in the description and photos of the Oriole you saw at Martin's Creek Power Plant in October of 2002. The committee was nearly split on it's opinion regarding this record, with 3 members voting to place it in category 1 or 3 (an accepted record) and 4 voting for category 4. There seemed to be some discrepancies between the photos and the description. Several members thought the photo was more similar to an adult male Bullock's than anything else but the description seemed to pertain to a female or immature bird. This was the main source of confusion for the members who voted not to accept the record. In the written description you mentioned an orange tint to the breast, and face. This feature is often cited as a good way to exclude Baltimore Oriole when dealing with a very pale individual. Adult males of both species of course do show much orange in the face and breast, and to my eye this is a better match for the bird in the photo. However your description of the belly, head, and back seem to rule out an adult bird. This discrepancy does lead me to to consider the possibility of an abberantly plumaged bird, perhaps a young male with an unusually large amount of white in the wing? Ultimately though it is just not possible to reconcile the photo and description confidently enough to put a name on the bird.

Sincerely

Matt Sharp

Chair: Pennsylvania Ornithological Records Committee.

P.S. The other 2 records you sent in a being sent around to the committee for another round of voting. One of the pages of these became lost has they made the rounds. These were copies of course not you original description, sorry for the delay.









874-01-2001

### State/Regional Bird Records Committee

Rare Bird Report Form

Species: Bul	lock's Oriole	Date:	10 1 221 2001
Number-Age-Sex:	(1) Female	Time: (	2800 to (STO)
Location:	Martins Creek (PPL) Po	wer Plant in Lower	Mount Bethel Townsh
Habitat: roadsid	e , mixture of shrubs +	small trees surrounded	by tall grass a weed
	mostly sunny,		
burned of	f. very warm mour	ring light wind	
			· · · · · · · · · · · · · · · · · · ·
Distance: 20 4	o <b>38</b> ft	<del></del>	
		8-1	
Optical Equipment: _	10 × 42 Pentax		
	114.00	<del></del>	
Photographs Takan?	: Yes: X No:		
	. 165. <u>A</u> 140. <u> </u>		
Other Observers:			
Name	Address	Phone	e-mail
Name	Address	Phone	e-mail
Name	Address	Phone	e-mail
Name	Address	Phone	e-mail
Name	Address	Phone	e-mail
Name	Address	Phone	e-mail
	nation	Thone	o mai
Experience of main	observer: New Life species		
BIC DING	for nearly 20 years		
Date Description Wr	ritten: 10 1 22 101 Re	WRITE 10/24/01	

Draft of Seasonal Hawk Site Field Manual

7

Description of Sighting: (include size, shape, color patterns, song, call notes, behavior, and other diagnostic characteristics, but <u>only what was actually observed in the field</u> . Attach sketches, photographs, and additional sheets, if necessary.)
PLEASE SEE my attached sheet for my description
EXPLANATION OF Photos:
PHOTO #1: This is the best quality photo. It shows the yellow head,
dark eye, white belly, and large white color in wings
PHOTO #2: Slightly out-of-forus, angle/direction of sun bad.
This photo shows the unmarked back. Crown looks very dark
but was only slightly brownish. The rest of the head (sides,
neck and supercilium are a bright yellowish odor.
Similar Species / How Eliminated:
PLease see my attached sheet for comparison to
Baltimore Oriole
Name: Michael Schall Signature: Michael Schall Date: 12 1 4 1 01
Address: 1149 Mickley Rd. 610-435-2781
Whitehall, PA 18052 motischalle xahoo.com
Mail this form along with accompanying (stapled) materials to: Address of Committee inserted here.

# Bullock's Oriole 10/22/01

Martins Creek Power Plant next to small flyash pond.

I saw a female or ole at close range, 20 to 30 feet away at 0800 (STD) on a mostly sunny day (early mourning for) had lifted in this orea). It was first seen on a tall weed, then flew into some green shrubs, sitting at the top. There is a nearby feeder (50yds) but don't know if that means anything. After a couple minutes, I went to my truck for a camera. The oriole was relocated 100yards down the road on some bare branches in a small tree (20 feet high) next to the road. A makingbird landed in the same tree. It was 2 to 3 inches longer than the oriole. I took pictures and observed the bird for a total of about 3 minutes. It then flew off in the direction of the Delawase River, approx. 34 mile away.

Desciption

The head was a bright yellowish color with an orange tint; this included the throat, cheeks, sides, neck (front + back), and supercilium. The breast area also had a bright yellowish (orange tint) color. This yellowish color on the breast ended evenly across and the belly was white. The undertail coverts white to gray in color. The top of the head had a light brownish color. The section of the back above the wings was yellowish (not as bright as cheeks and breast) and had no markings or streaks. The eye was black and the bill straight and pointy. Wings were dark gray with 2 prominant wing bars. Edges of flight feathers white. The tail was yellowish on top

Desciption continued:

and bottom with a square end. The bill had a purplish hue, probably from enting some type of berries in the area (possibly pokeberry). It did not call or show and odd behaviors.

## Elimination of Baltimore Oriole (4)

I got my comparison information from the Sibley and Stokes field guides. Sibley describes the sides of the neck and head of the Baltimore oriole as drab brownish while my bird had bright yellow sides on the neck and back of the head. The yellow on the breast runs into the belly area on the Baltimore while this bird had a white belly and the yellow color ending evenly across the breast. The Baltimore has dusky brown auriculars and supercilium that looks similar in color to the crown. My bird had bright yellowish auriculars and supercilium that looks similar or color to the crown. My bird had bright yellowish auriculars or oriole also had broad white edges on greater coverts that are lighter on Baltimore's. And the back was unmarked, where as the Baltimare would have marks or streaks.

Record No.:874a-01-2001

### Pennsylvania Ornithological Records Committee

#### **Tabulation Form - Round One**

Species: Bullock's Oriole (Icterus bullockii)

Date of Sighting: 22 October 2001 to 22 October 2001 Location: MARTIN'S CREEK POWER PLANT

County: NORTHAMPTON Observer(s): Michael Schall

Date of Submission: 2001 Submitted by: Micahel Schall

Written Description: Yes		Photo: No		Specimen: No		Recording: No		
Member	Class I	Class II	Class III	Class IV-A	Class IV-B	Class IV-C	Class V	Abstain
G. Armistead					X			
D. Heatherte D. Couchman	×							
P. Hess			X					
J. Stanley	X							
B. Reid & Witner				X				
R. Leberman					X			
M. Sharp				X				
TOTALS	2		l	2	2			
DECISION								

Comments:

314

Signature (Secretary): Date: 1/5/04