













PENNSYLVANIA ORNITHOLOGICAL RECORDS COMMITTEE 2469 Hammertown Road Narvon, PA 17555

September 24, 1997

Gary Freed 1132 Walters Road Pennsburg, PA 18073-1933

Dear Gary,

Thank you for submitting documentation on the Thayer's Gull you saw at Green Lane Reservoir on 3 April 1996 to P.O.R.C. After careful review, we regret that we are unable to accept this record. The committee was concerned that the photographs and written descriptions did not entirely rule out the possibility of the bird being a pre-alternate 1 Herring Gull. Two of the photos show what appears to be dark centers of the tertials typical of a Herring Gull at this date. There was also some question as to the lack of pale edges to the primary tips which should be noticeable on a standing fresh plumaged first year Thayer's Gull. The bill was also thought to have too much pink for a first year Thayer's. Immature Herring/Iceland/Thayer's type birds are often in heavy molt at this time of year and old feathers are faded and severely worn making the identification difficult.

This of course, does not mean the bird was not a Thayer's Gull, merely, that the record is not beyond reasonable doubt for acceptance

We hope that this does not discourage you from submitting documentation on any rare birds you find in the future. Please be encouraged to send as much detail as possible when submitting a report.

Sincerely,

Nick Pulcinella Chairman

Record # 348-01-1996

cc. Arlene Koch Jason Horn

PENNSYLVANIA ORNITHOLOGICAL RECORDS COMMITTEE 2469 Hammertown Road Narvon, PA 17555

September 24, 1997

Arlene Koch 1375 Raubsville Road Easton, PA 18042-9503

Dear Arlene,

Thank you for submitting documentation on the Thayer's Gull you saw at Green Lane Reservoir on 3 April 1996 to P.O.R.C. After careful review, we regret that we are unable to accept this record. The committee was concerned that the photographs and written descriptions did not entirely rule out the possibility of the bird being a pre-alternate 1 Herring Gull. Two of the photos show what appears to be dark centers of the tertials typical of a Herring Gull at this date. There was also some question as to the lack of pale edges to the primary tips which should be noticeable on a standing fresh plumaged first year Thayer's Gull. The bill was also thought to have too much pink for a first year Thayer's. Immature Herring/Iceland/Thayer's type birds are often in heavy molt at this time of year and old feathers are faded and severely worn making the identification difficult.

This of course, does not mean the bird was not a Thayer's Gull, merely, that the record is not beyond reasonable doubt for acceptance

We hope that this does not discourage you from submitting documentation on any rare birds you find in the future. Please be encouraged to send as much detail as possible when submitting a report.

Sincerely,

Nick Pulcinella Chairman

Record # 348-01-1996

cc. Gary Freed Jason Horn October 8, 1997

Jason Horn RR 2 Box 64C Emmaus, PA 18049

Dear Jason,

Thank you for submitting documentation on the Thayer's Gull you saw at Green Lane Reservoir on 3 April 1996 to P.O.R.C. After careful review, we regret that we are unable to accept this record. The committee was concerned that the photographs and written descriptions did not entirely rule out the possibility of the bird being a pre-alternate 1 Herring Gull. Two of the photos show what appears to be dark centers of the tertials typical of a Herring Gull at this date. There was also some question as to the lack of pale edges to the primary tips which should be noticeable on a standing fresh plumaged first year Thayer's Gull. The bill was also thought to have too much pink for a first year Thayer's. Immature Herring/Iceland/Thayer's type birds are often in heavy molt at this time of year and old feathers are faded and severely worn making the identification difficult.

This of course, does not mean the bird was not a Thayer's Gull, merely, that the record is not beyond reasonable doubt for acceptance

We hope that this does not discourage you from submitting documentation on any rare birds you find in the future. Please be encouraged to send as much detail as possible when submitting a report.

Sincerely,

Nick Pulcinella Chairman

Record # 348-01-1996

cc. Gary Freed Arlene Koch Thayer's Gull Lacus thayer's Location Nate & Time

Church Road, Green Lane Res. Montgomery Co. PA 4/3/96 from 500 pm - 6:30 pm at distance of 25-100 yrds Observers

Juson Hosin, Aslene Koch, Gary L. Freed of others Description

The bird size was mid-way between a Ring-billed of Herring Gull and appeared to be more rounded. The bird had dark eyes - its bill was overall pale with a smoge of dark extended onto the tip of the upper mondible - this matk extended onto the tip of the upper mondible. The Linds Legs were pale pink. The bird was a pale gray - brown overall - head and nape were lighter than rest of body. Primary typs appeared dark when wings were closed. In flight upper surface of primary feathers appeared dark brown - secondaries appeared a lighter shade. The bird also showed a second dark bor shove the secondaries. On the underwing, the flight feather appeared very pale gray while the rest of underwing appeared to be a shade of light brown - gray

(PLEASE PRINT OR TYPE)

SUPPORTING DETAILS: UNCOMMON OR RARE SPECIES/HIGH NUMBERS

CBC Name	Date	-Compiler -	
CBC Name Observer writing this according	unt & date Ga	y L. Freed	4-3-96
SPECIES Trayers G Distance from bird(s) 10		NUMBER, AGE, SE ve size of bird <u>s mall</u>	
HEAD & NECK (Describe Head naticeally small shorter, thinner, sm	er & rounder] aller than Her	, auricular, malar reg han Herring Gul ring Gull	ion, median line, etc.)
EYE & LORES (Pescribe work in center of UPPER & LOWER MANI LEGS & FEET	Need Thm T DIBLES light h	wards bill	on lower mandible
UPPERPARTS (Describe I	nape, back, rump,	upper tail coverts, e	te in 1000 9165
UNDERPARTS (Describe	I m breast		
	I with no h	kite Toward r	ump
WING (Describe color, lenetc.) upper - dark to	erminal band-	- second bond at unisy with pri	word retripil zziren
BEHAVIOR Sitting	on log - mo	stly swimming	M 2431pm mg ft
Date of observation 4-3-4 Duration of observation 4 Exact location Shareh R Habitat Shalb w lake C	5 min d, Green Lang Other observers I	Bird - Sun orientation Reservation Man Tacom Horn, A	nsum low to my back a smery Co. PA Hero Koch
ADDITIONAL COMMEN Head and hill ru plumage rules out AN ACCOMPANYING	TS Jacon to le out large Ring-hilled (SKETCH OR PHO	cqulls Juli - the onl OTOGRAPH CAN B	to ther possibility E MOST HELPFUL
seems to be Cal are not right.	lifornia Gull	-but bill an	d under-wing

348-01-1996

Gull Sighting, Green Lane Reservoir
April 3, 1996 - Arlene Koch

On Wednesday afternoon, April 3, 1996, I was in my car just about to leave Gary Freed's house in Pennsburg when he got a call about a good bird being at the Church Road site of Green Lane Reservoir. Less than 5 minutes later, with Gary right behind me, I pulled into the parking area and saw Jason Horn there with his scope on a bunch of gulls standing at the other side of the reservoir, a distance of 400-500 yards? (I'm not sure).

As of that moment I didn't know what the bird in question was but had figured it to be a gull of some sort. I quickly looked through Jason's scope and saw immediately that one of the gulls was different from the others, although I openly admit that I am not an

expert on this group of birds.

The first thing I noticed about the bird was that it was smaller than the herring gulls but bigger than the ring-billeds and its head had a more round appearance to it than the heads of the other gulls. The light was very good at the time, with the sun being to our backs and I was looking through a TSN-2 Kowa scope. The eye placement was more toward the middle than the front of the the light-colored head and there appeared to be a smudge of some sort on its lower mandible.

Both the upperparts and underparts appeared brownish to me, but the chest area was definitely lighter in color. The legs were relatively short and appeared to be light, although I couldn't say positively if they were pale yellow or pink. The bird's upper wing had a darkish terminal band on it and there was another, less noticeable band next to that one. The underwing just looked brownish to me but seemed to get lighter out at the end by the primaries and its tail appeared to be either dark brown or black.

I looked at this gull for almost 30 minutes before leaving Jason and Gary behind. I would be less than honest if I said I knew for sure that this was a Thayer's gull going into its second year as I am not very familiar with the species. However, after checking my notes with the various bird books I have and subsequently talking with Jason and Gary, I have come to the conclusion that the bird I saw does fit that description, except for the dark spot on the lower bill.

All of my observations were made while the bird was on the ground. At no time did I see it fly.

Record No.:348-01-1996

Pennsylvania Ornithological Records Committee Voting Tabulation - Round # 1 of

Species: Thayer's Gull (Larus thayeri)

Date of Sighting: 3 April 1996 to 3 April 1996

Location: GREEN LANE RESERVOIR

County: MONTGOMERY Observer(s): Jason Horn

Gary Freed; Arlene Koch

Date of Submission: 1996 Submitted by: Jason Horn

Written Description: YES Photo: YES Specimen: NO

Recording: NONE

-	Class I	Class II	Class III	Class IV	Class V			
Member					A	В	С	Abstain
F. Haas								\times
N. Pulcinella	1/2			\times				
E. Kwater							X	
R. Ickes								\times
G. McWilliams							\rightarrow	
P. Schwalbe	\times							
S. Feldstein	X							
TOTALS	2			1			2	2
DECISION				X				

Comments:

Signature (Secretary):

F (Haas

Date: 2-22-97