## PENNSYLVANIA ORNITHOLOGICAL RECORDS COMMITTEE 210 Welcome Ave. Norwood, PA 19074

8 February 2001

Ward Dasey 29 Ark Rd. Medford, NJ 08055

Dear Ward,

Thank you for submitting documentation on the California Gull at Florence on 12 March 1997 and the Thayer's Gull on the Delaware River on 28 April 1997. Committee members had differing views about the reports, and balloting went two rounds on both. Ultimately, after careful review, the committee decided that it cannot accept the records.

On the California, a majority believed that the details submitted were not conclusive to add this rarity to the Pennsylvania list. Various features including its distinctive shape and jizz make a California likely, but most members felt that acceptance would require more precise information about various characters such as the outer primary pattern from above and below in flight, and the shade of the mantle indicating which race was involved. Because identifying this species outside its usual range is seldom if ever obvious, a series of photographs may be necessary before it can be added to the state list.

On the Thayer's, three members approved the record and four did not. Though most details were appropriate for Thayer's including your illustration of the upper primaries, those voting no were troubled by several items: 1. The extent of black described on the under-primaries appeared to be too great for Thayer's. 2. In flight Thayer's generally appears longer-winged than shorter-winged in flight than Herring (relative to body length and wing width). 3. At rest Thayer's typically has a primary extension equal to or slightly longer, not shorter, than a Herring (relative to tail length). One member felt that the distinction from a small female Herring was not conclusive.

The committee emphasizes that non-acceptance does not mean that the bird was not the species reported, but rather that the committee believes the documentation submitted does not support the identification conclusively.

We hope that this will not discourage you from submitting documentation on any rarities you may find in the future.

Finally, the committee apologizes for the unacceptably long delay before all members were able to vote on the record. Circumstances beyond our control caused the problem, and we believe that we are back on a timely track.

Sincerely,

For the Committee: Paul Hess, Chairman

P.S. Beginning this year observers will receive postcards acknowledging that the committee has received their documentation. In addition, whereas observers formerly were notified only when reports were not accepted (in disappointing or irritating letters like this one), they will now receive cards announcing that their records *have* been accepted.

Records #346-01-1997, #348-01-1997

This bird eventually flew over to The damp in Buck country 348-01-1997

NEW JERSEY RARE BIRD COMMITTEE

Atten: Laurie Larson

OBSERVER - Ward W. Dasey 29 Ark Rd Medford, NJ 08055 H-609-953-1685 W-215-886-2220

SPECIES - Thayer's Gull (Larus thayeri) DATE - April 28, 1997 about 3:15PM to about 3:40 LOCATION - Florence, NJ and Bucks Co. OPTICS - Kowa TSN-4, 30 wide DISTANCE FROM BIRD - pretty close, not close enough to get the exact orbital color, if that helps.

NOTES TAKEN ON SITE ARE WITH THIS REPORT.

THE BIRD

AGE - adult in alternate plumage

BIRD AT REST ON WATER

BILL - shorter and thinner than Herring Gull. Light yellow with red gonys spot. In some light bill hinted toward greenish. HEAD - bright white, rounded and small when compared to the Herring Gulls.

EYE - all dark. Orbital looked dark, but I couldn't see the color. MANTLE - about the same gray as Herrings, in some light a bit darker. It never looked lighter than a Herring.

SECONDARIES, TERCIALS, AND COVERTS - same as mantle. Some white at bottom edge of tercials and secondaries.

PRIMARIES - black, same as Herring Gulls. White windows slightly larger than Herrings. Black on the outside primary went under the secondaries as it does in a Herring. Less primary extension than Herrings. (I've compared this individual with about 10 different adult Iceland Gulls that have been present from time to time. Only one even approached the primary pattern on this bird. That Iceland or intergrade had a dark eye and the primaries were charcoal, not black. The charcoal on the outer primary did not reach under the Another factor was the mantle color, which was secondaries. lighter than a Herring. UNDERPARTS, CHEST, AND TAIL - bright white. LEGS AND FEET - very deep pink toward purple.

BIRD WITH RAISED WINGS AND IN FLIGHT - it raised its wings a bunch of times and flew around a bit before traveling to the dump.

PRIMARIES FROM "OUT TO IN" ON UPPERWING- I can't get my mind around numbering them in the other direction. 1. not black near tip but white well down the shaft, them black it

THE FUEL OF THE FIRE CONSISTER

ACLENC MALE INC. TRAILSA

LI NIA P. LI NIA P. 2010 IN DICID N 2011 / W DICID N 2011 / W DICID N

DATE April at 1357 about Stibne to thout fait LOCATION - FIGHER - 357 and Pueks OFTICS Fowa TEX-6. To wide DISTANCE RECM FIX: Discly LOSS, not sizes . 201 0 F 1

NOTES TAKEN OF TTE ARE WITH THE FOR ST

dals BET

AGE - Adult III alterbule plunede

SIRD AT SELT C. FATTH

Bild shortes and ablance into 2 sile shire (shi espire) at the state of the state o

MANTLE - about the same gray and list of the the light a bit darker. The same gray and light of Berring. SECONDARIES THEOREM AND LOVERE MALE AND ADDITION

PRIMARIES and the face as Herring Correst What shares around its secondaries to 11 dec. for any first of the secondaries to 11 dec. The decination here had the formation here had a decination of the primary pattern on this to the secondaries of the charter on the first of the contract of the primary pattern on this to the secondaries of the charter on the secondaries of the contract of the primary pattern on the the secondaries of the contract of the contrac

reds was are also dieb brug teward brible.

BIRD WITH PAISSO WITHER AND IN FLIGHT - 1 ISLOG IS MINDE S BUNCH

PRIMARISE FROM OUT TO IN. ON DEPENDING FLAM OF A STANDED - A STAND

2. the black approached the coverts on the forward half of the feather. Black crossed the whole feather near the tip. The tip was white.

similar to #2. Wider black across the feather near the tip.
Black on the forward part of the feather extended less for the #2
similar to #3 but again less for up the wing.

5 & 6. white tipped with some black. Couldn't see them very well. GENERAL JIZZ OF PRIMARIES - fairly extensive black in primaries, but not as much a a Herring Gull. Again, as black as a herring. UNDERERWING - much the same pattern as underwing. Not as solid black on the out two or three primaries as a Herring.

JIZZ IN FLIGHT - shorter winged than Herring. Again showed black in primaries much greater than even the darkest Iceland I've seen.

VOICE - single calls, between calls it closed it mouth.

THE HISTORY OF THIS INDIVIDUAL OR AT LEAST ONE LIKE IT. I've been seeing this bird for upwards of 2 months on and off. Several times I've tried to show it to other observers but it tends to blend so well with Herring Gulls that they couldn't pick it out. The other problem was the number of gulls on the river earlier in the season; thousands floating by. It was so easy to lose I never did get a complete look at it until Monday.

The bird was initially picked out Monday by it's slightly smaller size, short primary extension, round head, dark eye, and smaller blunt light yellow bill. Among several Herring Gulls it was floating slowly downriver. Frankly I was not 100% sure it was not a very small strange Herring until it raised it's wings and rolled on it's side to reveal leg color. I was able to stay with the bird for nearly a half hour by moving down the walkway in the park. Evenually it took wing and flew around the river in front of me for a minute or so, and then retired to the dump.

I've now examined thousands of Herring Gulls and dozens of Iceland Gulls at Florence since January. Frankly there have been several good candidates for first and 2nd winter Thayer's Gulls at Florence: these birds had the dark tercials. This is the only adult bird I've seen in New Jersey that I couldn't pass off as a dark Iceland or an intergrade. Even the darkest Icelands don't pass on a quick look as a Herring Gull. It's easy to see why Thayer's was once lumped with Herring Gull. The tendency is to go from the other direction, making an Iceland into a Thayer's. Another problem can be first winter Herring Gulls going into first summer; many have translucent primaries from underneath. I guess you don't need to hear all this.

Ward Dasey 4/29/97 eather start crossed the de-

Black on the terverd part for similine terverd part for denserved of the source but not as much Menting DUDERERWING DISCK on the dusewa of three DISC IN FLING, source the DISC IN FLING, source the

and the set bran a the set of

the talks is the time bip

Drich in the second sec

"wate we is prepared to state

and an i bear i bear i bear i bear a bear a bear

problem was a conter of pulle of the start off in the start of the start problem was a conter of pulle of the start of the start of the start the start of the

anallat size anti-primary extended of bonder 2 (18 1.100/19 smaller blue light y-lles b 1 was floating divit lowarives frenkly as an 100 our 11 das not a very thall strange hereog whi rolled on it a tide to revenue to an the bird in nearly a malt must be and and park. Ever siry it took wing a triew a det is strang in the park. Ever siry it took wing a triew a det is the tool

Iteland Suit at Florence ended and the florence of the design of several good condidator for first and int on the flavor book Plorence. It is blick had the test and int on the flavor book adult bird is seen of book as for the data and dark to had a flook as for the data and floor in a guild have be flood with dering Guil. Is a see why from the streetion seking at the floor floor floor from the data for the floor seking at the floor floor floor is any floor floor floor floor floor floor from the data floor floor floor floor floor floor floor is any floor floor floor floor floor floor floor floor is any floor floo

> Ward Dasdy 4/29/97

Mayers Gull - adult Gull at rest in water : Wed yound small white. not as high rounded as Reeland eye dark - stortet orbital dark - no black feathering wound ag Martle - about some gray as storing - slight, darker primaries - black, as black as Herring Gull. The black m The mitside primary goes under The secondaries white unudores in primarie s-abit larger than Herrin less primary extension Than The Herring Gulls leggs - so very dark pink toward purp Ch

Vail white as was underside belly chost etc

Wings marsed and in flight

Black come alot firther down The front of primaries than Rue Seen in Ever The darkest charcold Rieland -mut Gull raised wing a bunch - Neik not dark gray Same as Herring under wing ( luppes Wing/ Bird in view 3:15 to about 3:40 cloudy but sometimes

with D. blant have getting bit in he had allow ge dentation when and state the second and the

						Re	ecord No.: 3	
	Р	ennsylvar	ia Ornit	hological R	Records Co	mmittee		
		Vo	ting Tabu	lation - Ro	und #1 of			
			•					
Sacciaco Thouse's		houaril						
Species: Thayer's Date of Sighting:			1 1 0 0 7					
Location: DELAW/ County: BUCKS Observer(s): Ward Date of Submission Submitted by: Wa Written Description	ARE RIVER Dasey n: 1997 rd Dasey		b: NO	Specimen: NO Recording: NONE				
						Class V	Class V	
Member	Class I	Class II	Class III	Class IV	A	В	С	
F. Haas								
P. Schwalbe			$\times$					
K. Parkes								
R. Ickes			$\times$					
P. Hess							$\boldsymbol{\times}$	
J. McWilliams			X					
T. Floyd				$\times$				
TOTALS			3	1			5	
DECISION								
Comments: $3/2/2$		J. M.	D for	JD				

Record No.: 348-01-1997

## Pennsylvania Ornithological Records Committee

## **Voting Tabulation - Round Two**

Species: Thayer's Gull (Larus thayeri)

Date of Sighting: 28 April 1997 to 28 April 1997 Location: DELAWARE RIVER County: BUCKS Observer(s): Ward Dasey

Date of Submission: 1997 Submitted by: Ward Dasey

,

Member	Class I	Class II	Class III	Class IV-A	Class IV-B	Class IV-C	Class V	Abstain			
G. Armistead			X								
F. Haas								$\times$			
R. Ickes			X								
P. Hess						X					
D. Couchman				X							
J. McWilliams			×								
P. Schwalbe			X								
TOTALS			4	1		(		J			
DECISION				X							
Comments: $4/2/1$											
Signature (Secretary): Date: //4/0											