348-01-2002

## Adult Basic Thayer's Gull February 23, 2002. Florence NJ

This bird was seen from the boat ramp at approximately noon. It was first seen sitting in the middle of the Del. River downriver from the green buoy directly across from the small park at the boat ramp. It stayed in relatively close range for only a brief time before taking flight and re-landing on the river much further downriver (@1/4 mile). It was seen in direct comparison with adult and first winter Herring Gulls (HEGU). Though the bird remained in view at close range for only a couple minutes it allowed for good comparisons with surrounding birds and quick but good looks at the upper surface of the spread wing, and the underwing. While in flight it appeared to be in both NJ and PA airspace. The bird was viewed with Leica APO televid with 32x eyepiece

Other observers: ?? I was with several other folks, but I am not sure who saw this bird well. They were Matt Hafner, Dave Hedeen, Glen? And George Armistead

DESCRIPTION - see enclosed sketches

## Discussion:

٤.,

My critical field experience with Adult Thayer's Gull consists solely of birds seen at this location. I have read most of the available ID literature on separating this species and Iceland Gull including the excellent article "Identification and Variation of Winter Adult Thayer's Gulls" by Steve Howell and Martin Elliott in the March 2001 issue of Alula. I have been studying as many adult Icelands as I can at Florence for the past 4 years and the bird described herein was outside of the range of variation I have seen in the many dozens of adult Iceland Gulls I have seen. The black of the wing tips was solid black - and lacked the slaty tones of the darkest winged Iceland Gulls I have seen. The extent and tone of the head streaking was also out of the range of Iceland Gull, which has, at most, finer brownish streaking on the head and neck. In my admittedly limited experience the head streaking on Iceland Gull does not extend down onto the base of the neck as thickly as on this bird on which it formed a partial collar around the base of the neck. The tone and extent of the head streaking on this bird was different enough from all surrounding birds including Herring Gulls, that it was possible to pick out this individual from almost a half mile away solely by the head streaking. In addition to this character the bird was more robust, longer bodied and bigger headed and longer billed than any Iceland Gull I have seen at Florence. These size comparisons are not meant to be taken as objective measures but rather as overall impressions. The most noticeable structural difference was the bigger head. Even the largest Iceland Gulls I have seen at Florence, birds which approach the size of a very small Herring Gull, have more petite heads accentuated by the shorter and often thinner bill. Also adult Iceland Gulls can be rather chunky overall appearing short winged and short necked. In contrast this bird appeared more similar to Herring Gull in terms of overall length and shape. The head shape though was not quite as robust as on many Herring gulls which can have a flatter forehead profile and especially a longer thicker bill. The more rounded head and slimmer bill of this bird in combination with the dark eye and smudgy surrounding area gave this bird a different overall head-shape than all but the most petite Herring Gulls. No Herring Gulls seen on this day showed a wing pattern similar to this bird, especially an underwing pattern as pale as on this bird. Nothing about this bird appeared intermediate between Iceland Gull and Thayer's, not in terms of size, structure, head streaking, or wing pattern. The one aspect that troubles me somewhat with this, and other birds I have seen at Florence that matched all the characters of Thayer's Gull has been the lack of a noticeable difference in the shade of the mantle. According to the literature Thayer's should be slightly darker mantled than Herring, but I have never noticed this on this or any other bird I have thought to be a Thayer's. In speaking with other observers I am beginning to suspect that any difference in mantle color of adult Thayer's is very difficult to perceive in the field and may have a limited use as an ID character except for museum specimens.

Matt Sharp 7135 Bryan St. Phila. PA 19119

2/23 AL THEU From Florence NJ seen sitting Mil-niner + Head streaking more extensive than in flight Gt AZ. ICCU seen same day Drowner in tone than Her gave herd a Grey mantle like Hegu distinctively strecking became very smudgy at different Appenriance primary tip white alsonmounded Than most or all HECU to Black on primary like but larger Heav but with larger white apical spots Overall than ICGU Bill was rellow without obvious gonycheel bulge eye appeared dork accentrated by dark smudyy area surrounding Bind seen on both sides of River (PA/NJ) deer sky/bright light

2/23 Florence NJ wing gattern seen from behind as bind 55 black on Durk or Fale. Durk and Not Primaries restricter to outer Hebs of outermost principes with 3 a dark as on upper with black bends burdering " the upical spots to at least PG and maybe PS. This couldn't the seen precisely- Note that the sketch represents The pattern seen in the field but not the exact extent of black in primaries which under the distance and buration of the observation could not be critically evaluated

Record No.:348-01-2002

## Pennsylvania Ornithological Records Committee

## **Tabulation Form - Round One**

Species: Thayer's Gull (Larus thayeri)

Date of Sighting: 23 February 2002 to 23 February 2002 Location: DELAWARE RIVER County: BUCKS Observer(s): Matt Sharp

Date of Submission: 2002 Submitted by: Matt Sharp

4

Written Description: Yes		Photo: No		Specimen: No		Recording: No		
Member	Class I	Class II	Class III	Class IV-A	Class IV-B	Class IV-C	Class V	Abstain
G. Armistead			X					
D. Heathcote			X					
P. Hess			X					
J. Stanley			X					
E. Witmer			×					
R. Leberman				X				
M. Sharp								X
TOTALS			5	1				1
DECISION			X					
Comments: 5/1/1								
			$\frown$			_		
Signature (Secretary) Date:							Date: Ju	103