

SPRING MIGRATION TABLE - 2010

	ALLEGHENY	ARMSTRONG	BERKS	BRADFORD	BUCKS	CAMBRIA	CENTRE	CHESTER	CLINTON	CUMBERLAND	DAUPHIN	FOREST	FRANKLIN	GREENE	INDIANA	JUNIATA	LANCASTER	LEBANON	LEHIGH	MERCER	SOMERSET	SULLIVAN	WYOMING
Greater White-fronted Goose					>2/20												3/6-3/17						
Snow Goose			>7/31	>3/17	>4/2		3/9-3/9	3/8-5/2			>3/10		>3/27		3/7-3/7		>4/28		>3/10			5/22-5/22	>3/17
Ross' Goose			3/5-3/9					3/8-3/8									>3/17	>3/19					
Canada Goose										3/1-5/31												4/1>	
Brant			5/18-5/18								5/12-5/18						5/12-5/12						
Tundra Swan	3/7-3/20		>3/10		5/21-5/21	3/8-3/15	>6/11	2/22-3/12	>3/10	3/18-3/31	>3/20	>4/16	>5/29		3/9-3/21	>5/8	>3/20	>4/3	>3/5	3/9-3/20	3/8>		
Wood Duck		3/11>				3/15>		1/22>		3/3-5/31				3/10>	3/16>		4/4>		>3/5		3/16>	4/2>	
Gadwall	>3/8	2/21-2/21	>4/2		>4/24			2/13-4/12						>5/5		2/20-4/7	3/16-4/17			3/11-3/20	3/10>		
Eurasian Wigeon								3/23-3/23										3/28-3/29					
American Wigeon	3/6-3/21	3/20-3/20	>5/4		>4/4		>4/27	3/2-4/9		3/1-3/31	>5/20	>3/26	>5/29		3/16-4/29		>5/1	>4/15	>3/16	>3/11	3/16-5/9		
American Black Duck	>3/27	3/18>	>3/21					>3/25		3/14>					3/13-4/17		>4/7						
Mallard		2/14>								3/1-5/31					2/13>							4/2>	
Blue-winged Teal	3/15-5/4		>4/7		3/21-5/5	4/29-5/6	3/24-5/8	3/24-4/29	4/9>	4/5-5/6	3/15-5/18		3/21>		3/26-5/11	4/10>	4/4>	3/28-4/29				3/26-5/5	4/22>
Northern Shoveler	3/26-4/17	4/15-4/15	>3/8		>5/5		4/11-4/12	3/9-4/10	3/22-3/30	3/20-3/24	3/8-5/12		3/15-4/8		3/21-4/20		>3/27	3/8-3/30	3/24-3/24		3/26>		
Northern Pintail	>3/31		>3/21		>3/18		3/12-3/14	3/8-3/12		3/20>	3/2-4/18		>3/15		3/19-3/21		>4/4	>3/29		>3/11			>3/11
Green-winged Teal	3/7-4/17		>4/12	3/28>	>5/1		2/18-4/10	3/9-4/30	3/22>	3/13-5/8	>4/25	3/26>	3/20>		3/16-4/6		>4/28	3/10-4/28	4/3-5/1	3/9>	3/16>	4/2>	3/11>
Canvasback	>3/6		3/5-3/8		>5/8			3/2-3/9			3/21-4/4				3/19-3/23					3/11-3/14			
Redhead	3/5-3/8		>3/8		>3/26		3/12-3/12	3/5-3/9	4/9>	3/18-3/24					3/21-3/27		3/6-4/30			3/9-3/20	3/20>		
Ring-necked Duck	3/7-4/17	3/18-3/31	>5/21		>5/3	3/17-5/8	3/10-4/11	>5/13	3/10-5/8	3/8-3/26	3/3-4/11	3/26-3/26	3/1-5/30		3/13-4/29		>5/1	3/8-4/15	>4/3	3/9-3/27	3/19>	4/1-4/4	3/11-5/7
Greater Scaup			3/11-3/29		>4/24		5/13-5/13	3/18-3/20	3/23-3/23		>5/20				3/16-5/8			3/26-3/26		3/11-3/27	3/20>		
Lesser Scaup	3/7-3/28	2/21-4/15	3/7-5/3		>5/4	3/25-3/27	3/12-4/12	3/18-4/29	3/23-3/23	3/13-3/19	>5/13		3/12-3/23		3/20-4/27	>3/9	>5/11	3/7-5/21		3/15-3/27	3/16>		
Surf Scoter	4/12-4/12				4/27-4/27		4/26-4/26				>4/13												
White-winged Scoter			4/12-5/12				4/26-4/26	4/27-4/27			5/12-5/22				5/22-5/22								
Long-tailed Duck			4/9-4/9		3/26-3/26		3/18-3/23	3/26-3/26	3/23-3/23		3/26-3/29	3/26-3/26			3/21-3/26		>5/1			3/23-3/27	3/23>		
Bufflehead	>4/18	2/14-3/31	3/2-4/9	>3/18	>6/8	3/15-5/2	>4/11	>5/10	>3/22	3/16-4/1	>5/13	>3/26	>4/21	>3/30	3/16-5/22		>3/31	>5/1	4/19-4/25	>3/27	3/20>	4/2-4/4	>4/11
Common Goldeneye	>3/11	2/21-2/21	>3/14		>3/14		2/20-3/19	3/4-3/29			>5/12		>3/17				>1/24	>3/28			3/23>		
Hooded Merganser		2/20-3/18	3/2>	3/17>		3/15>	3/14-5/30	>4/29	2/12>	3/3-5/6	2/23>	3/1>	3/11>		3/16>	4/1>	>5/11	3/8-4/15	3/16-3/24	3/10>	3/10>	4/2>	3/11>
Common Merganser	>4/25	2/14>						>4/13		3/1-4/3				>3/30	3/23>		>4/28	>3/28			3/16>	4/2>	
Red-breasted Merganser	3/10-4/11	3/31-4/30	3/15-5/4		>4/6	3/17-5/6	3/14-4/15	3/29-3/29			3/14-4/20		3/14-3/30		3/16-4/29		>3/31	4/6-4/6		3/11-3/27	3/20>		3/20-3/20
Ruddy Duck	3/10-4/19		>5/13		>5/22	4/3>	2/13-5/23	>5/29			>5/3		4/1>		3/19-5/8		>5/11	3/10>		3/11>	4/13>		
Red-throated Loon					4/10-4/10						>4/2												
Common Loon	3/6-5/2	2/21-5/20	4/3-5/28		4/11-6/10	3/31-6/2	4/12-5/30	3/29-5/21	5/8-5/8	3/1-5/26	3/24-5/27	4/16-5/8			4/6-5/25	4/27>	3/11-4/21	3/29>		3/23-3/27	4/13>		4/1-5/17
Pied-billed Grebe	>4/19	3/30-4/28	3/17>	5/8>	3/14>	3/31>	3/21>	3/11-4/23	3/23>	4/5-5/8	3/21-4/18		3/14>		3/20-4/20		3/10-3/10	3/21-4/30		3/27>	3/21>		3/22>
Horned Grebe	3/23-3/29		4/9-4/9		3/12-4/14	3/25-3/25	3/12-4/17	3/19-4/29	3/23-3/23		3/13-3/26		3/14>		3/19-5/8			3/26-4/16		3/23-3/27	3/20>		3/20-4/1
Red-necked Grebe		4/30-4/30				3/25-3/25											3/16-3/16						

SPRING MIGRATION TABLE - 2010

Double-crested Cormorant	>5/15	3/1-5/20	3/17>	4/28>	3/12>	3/25>	3/23-6/8	3/21>		4/1-5/30	3/15>		4/15-5/1		4/3-6/1	4/1-5/8	3/20>			3/27-5/31	3/20>		4/10-5/21	
Great Cormorant					>5/15																			
American Bittern			4/29-4/29	5/13>	4/5-5/13		4/22-4/30	4/7-4/30	4/12>	5/12>	4/24-5/11		5/16>			4/5>		4/9-5/8	4/29-4/29				5/9>	
Least Bittern							5/13-5/16			5/12-5/16	4/30>				5/25>		5/19>							
Great Blue Heron									4/13>	3/1-5/31				3/13>							3/10>	5/8>		
Great Egret	4/11-5/19		3/28-5/31		4/17-5/31		5/3-6/8	4/3-5/25	4/13-4/13	4/12-5/30	3/11>	4/16>	5/9>			4/15>	3/26>	3/21>			4/16-5/3			
Snowy Egret											>5/17												5/22-5/22	
Little Blue Heron				5/8-5/8				5/8-5/8			>5/10													
Cattle Egret					4/11-5/9		5/6-5/6				4/3-4/8													
Green Heron	4/26>	4/22>	4/18>	4/21>	4/20>	4/24>	4/8>	4/8>	4/30>	4/9-5/31	4/21>		5/14>		5/8>	4/30>	5/9>	3/27>		5/3>	5/2>	5/8>	5/16>	
Black-crowned Night-heron			3/31>		3/7-5/29		4/23>	5/13-5/13		4/5-5/28	4/17>					4/30>	4/7>	3/19>						
Yellow-crowned Night-heron										5/8>	4/5>													
Black Vulture							2/8>			3/26-5/26											3/22>			
Turkey Vulture	3/4>	3/28>				3/19>	3/8>			3/1-5/31		3/16>		3/1>	3/8>						3/7>	4/2>		
Osprey	3/20-5/23	4/28-5/4	3/12-5/11	4/22>	3/2>	4/2>	3/30>	3/17-5/31	4/2>	4/10-5/14	3/26>	4/16>	4/22>	4/28-5/30	3/27-5/11	4/3>	3/23>	3/19>	4/4>	3/18>		4/4>	4/15>	
Mississippi Kite			4/17-5/8															5/13>						
Bald Eagle										4/27-5/20					3/27>				>5/23		3/16>			
Northern Harrier			3/26-5/16		>5/8			>5/2		3/6-3/29				>3/26	>2/11					>4/16				
Sharp-shinned Hawk								>5/26		3/6-5/8										>5/8				
Cooper's Hawk										3/6-5/8														
Red-shouldered Hawk										4/9-5/14				4/28>										
Broad-winged Hawk	4/11>	4/30>	4/2>	5/14>	4/14>	4/29>	4/15>	4/8>	4/11>	4/24-5/14	4/7>	4/12>	4/23>	3/23>	4/10>	4/7>	4/4>	4/12>	4/16>		6/8>	5/8>	4/22>	
Red-tailed Hawk										3/1-5/31														
Rough-legged Hawk	>3/7		>3/10	>3/6			>3/12								2/28-3/16	>2/13					3/8-3/8		>2/28	
Golden Eagle			3/4>																					
American Kestrel										3/1-5/31													4/1>	
Merlin	3/8-3/10		>4/3		>5/15			>5/1		4/3-5/10	1/4-5/3				2/17-5/10	2/27>	>2/2		4/24-4/24					
Peregrine Falcon		2/14-2/14						4/5-4/5		5/22>														
Virginia Rail	4/18-5/1				4/5>	4/19>		4/8>	4/5>	5/8-5/28							3/20>	4/23-4/29			4/25>			
Sora					5/11-5/12		5/1>	4/8-5/8	5/7>	4/5-5/28							5/11>	4/20>			5/4>			
Common Moorhen					4/29-4/30		5/12-5/16			5/22-5/26														
American Coot	4/27-5/15		>4/28		>5/1	4/7-5/6	2/13>	>4/10		5/16>	3/21-5/10	5/8>	4/21>		3/16-5/4		3/27-4/30	>5/15		3/27>	3/21-5/9			
Sandhill Crane			3/7-3/7	3/11>											4/6-4/6			3/1-4/11		4/10>	4/14>	3/26>	4/14>	
Black-bellied Plover	5/7-5/19									4/3>							5/23-5/23	4/24-5/20						
American Golden Plover										4/4>														
Semipalmated Plover	5/6-5/23		5/30-5/31		5/14-5/31	5/12-5/12		5/11-5/15		5/18>	>5/19		5/9-6/3		5/8-6/1	5/12>	5/1-5/23	5/17-6/1	5/14-5/16					

SPRING MIGRATION TABLE - 2010

Killdeer	3/7>	3/13>		3/12>		3/8>	2/24>		3/27>	3/1-5/31			2/20>	3/11>	2/26>	2/1>		3/8>	3/1>	3/1>	3/9>	4/1>	3/10>
Greater Yellowlegs	3/26-5/19		4/28-5/4		4/3-5/26		4/11-5/8	4/2-5/15	4/27-5/8	3/26-5/2	4/3-5/22	4/23-4/23	4/5-5/19		3/26-5/7	5/12>	3/27-5/20	3/19-5/23	4/17-5/16	4/24-4/24	4/26>		
Lesser Yellowlegs	3/29-5/18		5/4-5/5		4/8-5/17		4/25-5/15	4/2-5/15	5/8-5/8	4/7-5/12	4/25-5/1		4/6-5/19			5/8-5/12	4/27-5/20	4/8-5/21	4/17-5/16	5/2-5/2	5/2>	5/8-5/8	
Solitary Sandpiper	4/18-5/30		5/5-5/31	5/8-5/8	4/24-5/21	5/6-5/6	5/1-5/13	4/20-5/29	4/13-4/13	4/18-5/12	4/24-5/19		4/14-6/7		4/20-5/11	5/8-5/12	4/30-5/16	4/21-5/20	5/8-5/16	4/25-5/10	4/19>	5/8-5/8	5/7-5/7
Willet						5/8-5/8					>5/12						4/27-4/27	4/25-4/25					
Spotted Sandpiper	4/14>	4/26>	4/13>		4/23>	4/29>	4/10>	4/24>	4/30>	4/22-5/12	4/24>	5/8>	4/16>	5/6>	5/4>	4/29>	4/30>	4/24>	4/18>		4/25>	5/8-5/8	5/7>
Upland Sandpiper								4/30-4/30															
Ruddy Turnstone					6/14-6/14								5/15-5/16										
Semipalmated Sandpiper	5/6-6/2		5/22-5/22		5/23-5/23	5/18-6/2	5/2-5/2	5/6-5/23					5/14-6/8		6/1-6/1	5/8-5/12	5/20-5/23	5/5-5/30					
Western Sandpiper													6/7>										
Least Sandpiper	4/12-5/28		5/15-5/31		4/25-5/31	5/18-5/31	5/3-5/15	4/30-5/23	5/8>	4/7-5/12	5/13-5/22		4/30-6/7		5/8-5/8		4/30-5/23	4/30>	5/1-5/16		5/9>	5/8-5/8	
White-rumped Sandpiper													6/6-6/8				5/20-5/24						
Pectoral Sandpiper	3/27-5/27				5/9-5/15		3/22-5/9	4/28-5/5		3/18-4/13			4/5-5/22				4/2-5/9	3/24-5/20	4/17-5/16		3/16>		
Dunlin	5/12-5/12		5/23-5/23		4/4-5/16	5/12-5/12	5/13-5/13	5/13-5/14					4/25-5/16			5/12>	4/4-5/23	4/15-5/24					
Stilt Sandpiper													4/30>										
Short-billed Dowitcher	5/12-5/12		5/18-5/18										5/15-5/25				>5/23	4/29-5/6					
Long-billed Dowitcher																		4/24-4/24					
Common Snipe	3/15-5/5		>5/18		2/23-5/14	3/18-3/18	3/19>	>5/11		3/22-5/12	3/21-4/25	3/26>	2/22>		4/3-4/24	2/1>	>5/5	4/8>	4/12-4/17	3/28>	3/10>	5/8-5/8	5/23>
American Woodcock	3/5>	5/6>	3/15>	3/10>	3/7>	3/16>	3/14>	3/7-4/2	3/8>	3/28-5/12	3/9>	3/19>	3/10>	3/8>	3/10>	3/11>	3/6>	3/9>	3/9>	3/8>	3/17>	4/1>	3/9>
Wilson's Phalarope	5/8-5/8						5/3-5/5						5/6-5/7					5/3-5/29					
Red-necked Phalarope	5/27-5/27						5/18-5/18	5/14-5/14										5/19-5/20					
Laughing Gull					3/22>		5/12-5/13						>5/12										
Little Gull													3/26-4/2				3/13-4/24						
Black-headed Gull										3/20>	3/14-3/19												
Bonaparte's Gull	3/3-4/13	4/7-4/15	4/4-5/10	3/3-3/3	3/21-5/15	4/3-5/8	3/23-5/2	4/3-4/27	3/28-4/11	4/5>	3/14-5/13	5/8-5/8	4/11-5/3		3/19-5/8		3/14-5/20	4/12>				4/13>	
Ring-billed Gull								>5/8		3/1-5/26					2/22-6/1		>4/3	>5/8			3/16>		
Herring Gull			>3/10				3/10-3/10	>5/13		3/13-3/20					4/13-4/24		>5/9	>5/8	>4/11		3/16>		
Iceland Gull					>5/1			3/15-3/22															
Lesser Black-backed Gull					>4/20			3/7-5/1			>5/12								>4/11		3/16>		
Glaucous Gull		2/14-2/14			>4/10																		
Great Black-backed Gull	2/6-3/1		>3/10					>3/15			>4/6						>4/4			4/15>			
Caspian Tern	4/11-5/3	5/20-5/20	4/12-5/12		5/14-5/14		4/11-5/2	4/8-5/12			4/12-5/13				4/29-5/8		4/8-5/1	4/29-5/8				4/13-5/9	
Common Tern	5/14-5/25	5/20-5/20	5/12-5/15		5/9-5/29						5/12-5/13	5/8-5/8			5/8-5/10		5/11-5/11				5/9>		
Forster's Tern	4/11-4/26	4/30>	5/3-5/16		5/8-5/14	5/8-5/15	5/3-5/12	4/27-5/12	5/3>		4/26-5/20				4/6-5/8	5/1-5/13	4/11>				4/13>		
Black Tern	5/6-5/16		5/12-5/16		5/8-5/9	5/19-5/19	5/18-5/18				5/6-5/22		5/13>		5/8-5/8						5/2>		
Black-billed Cuckoo	5/1>		5/8>	5/1>	5/1>	5/10>	5/12>	5/2>	5/2>	5/1>	5/1>		5/14>		5/5>	5/5>		4/30>		5/4>	6/7>		5/7>

SPRING MIGRATION TABLE - 2010

Purple Martin		5/29>	4/11>		4/4>	4/29>	5/11>	4/8>	4/1>	3/21-5/30	4/26>		4/10>	4/1>	4/10>	3/22>	4/3>	4/6>	4/3>	4/1>			
Tree Swallow	3/19>	3/13>	3/23>	4/1>	2/22>	3/25>	3/20>	2/22>	3/30>	3/23-5/31	3/13>	4/12>	3/21>	3/18>	3/19>	3/16>	3/20>	3/20>	3/5>	3/11>	3/11>	4/2>	3/24>
No Rough-winged Swallow	4/1>	4/22>	4/3>	4/14>	3/27>	4/4>	4/9>	3/29>	4/25>	3/23-5/14	3/24>	5/6>	4/9>	4/25>	4/6>	4/7>	3/31>	4/9>	4/7>	4/1>	4/13>	5/22>	4/19>
Bank Swallow	4/18>		4/11>	4/16>	4/25>		4/25>	4/27-5/13			4/26>	5/8>	4/25>		4/24>			5/8>	4/28>	5/20>	5/4>		5/7>
Cliff Swallow	4/26-5/11		4/11>	5/8>	4/25>	4/8>	5/2>	4/27-5/13	4/25>		4/26>	5/8>	4/26>		4/17>	5/1>			4/28>	5/6>	4/1>		
Barn Swallow	4/12>	4/16>	4/9>	4/21>	3/26>	4/6>	4/11>	4/1>	4/27>	4/4-5/31	4/5>	5/8>	4/5>	3/18>	4/10>	4/4>	4/7>	4/9>	4/3>	4/10>	4/13>	5/8>	4/23>
Black-capped Chickadee										3/1-5/14							>3/9		>3/19				
Red-breasted Nuthatch	4/10-4/27		4/3-4/25		>6/12			>4/7		5/5-5/12								>4/23	3/20-5/1		4/11>		
Brown Creeper	>4/13		>3/14		>4/7			>4/12		3/3-4/9									3/8-3/18			4/2>	
House Wren	4/19>	5/30>	4/17>	4/12>	4/10>	5/4>	4/29>	4/11>	4/22>	4/17-5/31	4/19>	5/8>	4/10>	4/24>	4/12>	4/17>	2/19>	4/11>	4/26>	4/18>	4/25>	5/22>	5/2>
Winter Wren	3/28-4/24	4/10>	>4/30		>3/18			>4/14		4/9-4/28				>3/10	3/16-3/16		>3/27		>4/22				
Marsh Wren	5/8-5/9							5/30>							5/6-5/13			4/23>					
Golden-crowned Kinglet	>5/3		3/2-4/11					>4/30		3/3-5/8	3/5-5/20						>4/21		>4/30		4/5>	4/2>	
Ruby-crowned Kinglet	4/4-5/15		3/8-5/17	4/9-4/27	>5/15	4/10-4/20	3/20-5/15	>5/5	4/28-5/12	3/3-5/12	>4/14	4/16-4/16	4/20>	>4/27	4/10-5/8	4/10-5/8	>5/5	>5/5	4/4-5/1	4/11-5/8	4/5>	4/4-4/4	5/7-5/7
Blue-gray Gnatcatcher	3/29>	4/16>	4/19>		4/6>	4/24>	4/10>	4/1>	5/5>	4/10-5/31	4/7>	4/22>	4/20>	4/25>	4/8>	4/17>	4/7>	4/16>	4/10>	4/25>	4/25>	5/29>	4/29>
Eastern Bluebird										3/1-5/31				2/25>									
Veery	4/25>		4/30>	5/6>	4/28>	5/8>	5/7>	4/28>	5/7>	5/12>	5/8>	5/8>			5/8>	5/8>	4/28>	5/1>	5/2>	5/2>	6/5>	5/23>	5/7>
Gray-cheeked Thrush	5/15-5/18		5/21-5/21		5/7-5/19			5/16-5/17		5/20-5/25						5/8>		5/19>		5/8>			
Bicknell's Thrush																			5/9-5/9				
Swainson's Thrush	5/3>	5/21-5/21	5/8-5/17		4/30-5/22		5/19>	4/30-5/17		5/6-5/23	4/29-5/20	5/8>			5/8-5/8	5/8>	5/19-5/19	5/21>	5/11-5/26	5/2>			
Hermit Thrush	4/4-5/26	4/26>		4/15>	>4/30	3/1>	3/20>	>4/28	4/19>	4/3-5/12		5/8>			4/16>	4/3>	>1/16		3/25-4/19	4/11>	5/29>	4/2>	5/3>
Wood Thrush	4/15>	4/30>	4/30>	5/1>	4/29>	4/30>	4/21>	4/25>	4/7>	4/24-5/31	4/22>	5/8>	4/21>	4/25>	4/29>	4/30>	4/30>	4/30>	4/30>	4/30>	5/2>	5/8>	5/1>
American Robin										3/1-5/31													
Gray Catbird	4/29>	4/30>	4/29>	5/3>		5/4>	4/11>	4/30>	4/13>	4/23-5/31	4/17>	5/6>	5/2>	4/24>	4/27>	5/4>	4/7>	4/30>	4/25>	4/30>	5/2>	5/8>	5/3>
Brown Thrasher	4/1>	4/16>	4/4>	4/6>		4/22>	4/3>	3/31>		3/28-5/31	3/27>	4/23>	4/4>	4/3>	4/7>	3/16>	4/14>	3/27>	4/4>	4/3>	4/5>	5/8>	4/19>
American Pipit	3/4-5/11				>5/16		2/14-5/2	>4/2		3/21-5/12	>3/24		3/19-5/29			2/13-5/12	>5/5	3/8-5/5		4/11-5/8	5/2-5/6		
Cedar Waxwing										3/5-5/31												5/8>	
Blue-winged Warbler	4/19>	4/30>	4/30>	5/8>	4/29>		5/1>	5/1>		5/1-5/28	4/30>			5/1>	5/1>	5/8>	4/30>	4/30>	5/1>	5/1>	5/22>		5/3>
Golden-winged Warbler		5/31>			5/1-5/16		4/30>			5/1-5/12	5/20>		5/16>			5/8>	5/9-5/9	5/1>		5/13>	6/8>		
Tennessee Warbler	5/5-5/23		5/7-5/14		5/11-5/17		5/14-5/18	5/13-5/16			5/1-5/20		4/22>	4/28-5/15	5/8-5/21	5/18>			5/10-5/17	5/6-5/21			
Orange-crowned Warbler	5/4-5/19												4/22>			5/8>							
Nashville Warbler	4/20-5/22		4/30-5/14	6/19>	4/30-5/17		4/30>	5/5-5/16		5/2>	4/29-5/20	5/3>	5/14>		5/7-5/7	5/8>	3/5-4/30	5/1>	5/30-5/20	4/28>	4/25>	5/8>	5/7>
Northern Parula	5/2-5/12	4/16>	4/19>	5/8>	4/30>		5/1>	4/15>	4/27>	4/24-5/26	4/23>	4/14>	4/20>	4/21>	5/8>	5/8>	4/7>	5/3>	4/18>	5/6>	5/2>		5/7>
Yellow Warbler	4/14>	4/30>	4/30>	4/30>	4/18>	4/29>	4/27>	4/24>	4/8>	4/24-5/31	4/16>	5/6>	4/27>	4/24>	4/27>	4/29>	4/28>	4/29>	4/25>	4/25>	5/2>	5/8>	5/1>
Chestnut-sided Warbler	5/1-5/20	5/4>	4/29>	5/3>	5/1>	5/8>	4/30>	5/5>	5/4>	5/8-5/12	4/30>	5/5>	5/12>		5/4>	5/8>	4/30>	5/8>	5/7-5/23	5/7>	5/2>	5/8>	5/1>
Magnolia Warbler	5/5-5/28		5/3-5/21		5/1-5/29	5/8>	4/30>	5/7-5/21	5/7>	5/8-5/12	4/30>	5/5>	5/12>		5/6>	5/8>	>5/16	5/8>	5/6-5/20	5/6>	5/22>	5/8>	5/1>

SPRING MIGRATION TABLE - 2010

Cape May Warbler	5/6-5/14		5/3-5/21		5/15-5/19		5/3-5/15	5/4-5/16			>5/10				5/20-5/20	5/11>	5/9-5/9		5/5-5/20	5/9-5/9			
Black-throated Blue Warbler	5/1-5/18	5/21>	4/30>	5/17>	4/30-5/21	5/5>	5/8>	4/30-5/24	6/12>	5/8-5/26	5/20>	4/23>	4/30>		5/7>	5/8>	4/30-5/9	5/1>	4/30-5/20	5/2>	5/2>	5/8>	5/4>
Yellow-rumped Warbler	4/10-5/19	4/16-4/28	3/10-5/21		>5/21			>5/17	4/28>	3/6-5/12					4/3-5/11		>5/9		>5/20			5/8>	
Black-throated Green Warbler	4/16-5/19	4/30>	4/20>	5/1>	4/29-5/17	5/5>	4/29>	4/30-5/19	4/22>	4/18-5/31	4/14>	4/16>	4/30>	5/5>	4/20>	5/8>	4/28-5/16	5/1>	4/29-5/17	4/25>	5/2>	5/8>	4/30>
Blackburnian Warbler	4/26-5/16		5/11-5/24		4/30-5/20	5/26>	5/8>	5/15-5/21	5/5>	4/24-5/14	5/12>	5/5>	5/14>		5/8>	5/8>	5/9-5/16	5/8>	5/1-5/17	5/6>	6/15>	5/8>	5/7>
Yellow-throated Warbler	4/5>	4/30>	4/24-4/24		5/30>			5/29>		4/9-5/6				4/7>	4/8>		4/2>	5/8>	4/18>				4/30>
Pine Warbler	4/8-4/24		3/31>		3/21>		4/1>	3/25>	5/4>	3/29-5/14	4/7>		3/21>		3/14>	5/13>	4/7>	5/7>	3/25>	4/25>			5/4>
Prairie Warbler	4/20>		4/24>	5/15>	4/24>	5/21>	5/16>	4/20>		4/24-5/14	4/22>		6/5>		5/7>	4/22>		4/9>	5/1>	5/6>		5/8>	5/3>
Palm Warbler	5/5-5/19		4/7-4/25		4/3-5/16	4/22-4/22	5/10-5/10	4/2-4/30		5/1>	4/3-4/18				5/11-5/11	5/8-5/11	>4/30	4/11-4/11	3/27-5/1	5/6-5/15	5/2>	5/8-5/8	
Bay-breasted Warbler	5/10-5/20		5/11-5/24		5/8-5/19		5/7-5/15	5/11-5/19		5/8-5/12	>5/12		4/22>		5/8-5/8	5/13>	5/14-5/14		5/16-5/20	5/9-5/13			
Blackpoll Warbler	5/6-5/28		5/3-5/28		5/2-5/23		5/6-5/6	5/1-5/29		5/8-5/14	5/2-5/24			5/20>	5/8-5/25	5/8>	5/5-5/27	5/8>	5/1-5/27	5/7>	5/22>		5/27>
Cerulean Warbler	4/26>	5/23>	5/8>		5/15-5/15		5/7>	5/1>	5/5>	5/1-5/14	5/5>		5/1>	4/25>	5/8>	5/8>	5/9>	5/8>	5/1>	5/22>	5/22>		
Black-and-white Warbler	4/18>	4/30>	4/20>		4/12>	5/8>	4/29>	4/24>	4/27>	4/18-5/14	4/30>		4/30>	4/25>	5/7>	4/17>	4/27>	4/23>	4/24>	4/25>	5/2>	5/8>	5/4>
American Redstart	4/26>	4/30>	4/25>	5/17>	4/30>	5/4>	4/30>	4/30>	5/4>	5/1-5/14	4/28>	5/5>	5/5>	4/25>	5/1>	5/4>	4/30>	5/1>	4/29>	5/2>	5/2>	5/8>	5/2>
Prothonotary Warbler			5/13>		5/17-5/19											5/8>	4/30>			5/22>			
Worm-eating Warbler	5/1>		4/30>		4/30>		5/1>	4/28>	5/5>	5/1-5/14	4/30>		5/8>		5/13>	5/8>	4/30>	5/8>	4/30>		6/6>		5/7>
Ovenbird	3/4-5/29	4/26>	4/29>	5/1>	4/28>	5/5>	4/27>	4/22>	5/4>	4/27-5/14	4/21>	5/8>	4/27>	4/28>	4/23>	4/23>	4/30>	4/27>	4/30>	4/30-5/16	5/2>	5/8>	4/30>
Northern Waterthrush	5/8-5/16		5/8>		5/1-5/22	5/12>	5/8>	5/1-5/24	5/1>	4/23-5/12	4/25>		5/12>		5/8-5/11	5/8>	5/3-5/20	5/15>	5/1-5/7	4/24>	5/15>	5/22>	5/3>
Louisiana Waterthrush	3/28>	4/11>	4/3>	5/8>	4/3>		4/15>	4/3>	4/24>	4/9-5/14	4/4>	5/8>	4/7>	4/14>	4/3>	3/31>	4/28>	4/11>	4/3>	5/28>	4/17>	5/23>	4/22>
Kentucky Warbler	5/3>	5/31>	5/2>		5/5>			5/15>		5/10-5/12	5/20>		5/14>	5/1>	5/8>			5/20>	5/15>	5/6>			
Connecticut Warbler	5/12-5/12												4/22>										
Mourning Warbler	5/13-5/18		5/7-5/17		5/10-5/17	5/12>	5/14>	5/12-5/19			5/14-5/20					5/8>			5/10-5/10	5/10>			
Common Yellowthroat	5/1>	4/5>	4/24>	4/5>	4/22>	5/5>	4/30>	4/8>	5/1>	4/24-5/31	4/23>	5/8>	4/30>	4/25>	4/27>	5/8>	4/14>	4/19>	4/30>	4/30>	5/2>	5/8>	5/2>
Hooded Warbler	4/29>	5/21>	4/30>	5/7>	5/2>	5/5>	5/2>	5/4>	5/5>	4/22-5/31	4/30>	5/8>	4/30>	5/1>	5/4>	5/8>	4/30>	4/23>	5/1>	5/2>	5/2>		5/3>
Wilson's Warbler	5/15-5/16		5/8-5/14		4/30-5/16		5/13-5/16	5/15-5/17	5/12>	5/2-5/12	>5/20		5/14>		5/20-5/20	5/8>		5/1-5/14		5/6>			
Canada Warbler	5/14-5/24		5/3>		5/6-5/26	5/8>	5/8>	5/9-5/24		5/2-5/16	5/12>		5/14>		5/8>	5/8>	5/9>	5/8>	5/6-5/23	5/9>	5/2>	5/22>	
Yellow-breasted Chat	5/6>	5/29>	5/16>		5/5>		5/8>	5/4>		5/1-5/31	5/4>		5/1>		5/8>	5/8>		5/8>			5/22>		
Summer Tanager											5/1>												
Scarlet Tanager	4/26>	4/30>	4/30>	5/1>	4/30>	5/5>	5/2>	4/30>	5/3>	5/1-5/31	4/30>	5/8>	4/30>	4/25>	4/24>	5/1>	4/30>	4/30>	5/1>	5/1>	5/2>	5/8>	5/1>
Eastern Towhee	3/26>	4/7>	3/22>	4/5>		4/1>	3/27>		4/7>	3/22-5/31		4/4>	3/20>	4/4>	3/10>	3/25>	4/7>	4/25>	4/2>	3/30>	3/28>	4/2>	4/13>
American Tree Sparrow	>3/20	>3/25	>3/17		>3/5	>3/29	>5/2	>3/29	>2/28			>3/20	>3/6		>3/17	>2/27	>3/9	>3/10		>3/20	>4/1		>2/18
Chipping Sparrow	3/21>	4/11>	3/29>	4/9>		1/2>	3/26>	4/2>	3/15>	3/27-5/31		4/3>	3/25>	3/28>	3/21>	2/24>	3/16>	4/25>	4/2>	3/29>	4/7>	4/3>	4/5>
Clay-colored Sparrow										5/22>						5/10>							
Field Sparrow	3/28>	4/15>								3/22-5/31				3/4>	4/3>						3/18>	4/2>	
Vesper Sparrow	4/10>						4/6>	3/28-3/28		4/24-5/26					5/28>				4/6>		4/1>		
Savannah Sparrow	4/1>	4/16>					4/11>			3/20-5/26				4/24>	4/23>		4/7>		4/2>		4/1>	5/8>	

SPRING MIGRATION TABLE - 2010

Grasshopper Sparrow	5/1>	5/31>	5/8>		5/1>	5/8>	5/23>	5/8>		5/1-5/31	5/2>		5/2>		5/29>	5/8>	5/5>	4/26>	5/1>	5/28>	3/22>		5/3>
Henslow's Sparrow	5/8>					5/8>									5/8>						6/8>		5/3>
Fox Sparrow	3/11-4/13		>4/2	>4/13	>3/28	>4/12	>3/16	>4/4	>4/12		>3/28	>4/2	>3/24		3/13-4/3	>3/16		>3/10	>3/21	>3/24	>3/30	4/2>	
Lincoln's Sparrow			5/3-5/17		5/13-5/17		5/3-5/15	5/12-5/17					5/12>		5/10-5/10	2/1-5/16		5/8>		5/6-5/12			
Swamp Sparrow	3/20>	4/7>								3/25-5/5					2/2>				3/27-5/1		4/14>	5/8>	
White-throated Sparrow	>5/12	>5/8	>5/17		>5/12	>5/15		>5/19		3/1-5/12	>5/10			>5/2	>5/8		>5/5	>5/8	>5/4			5/8>	
White-crowned Sparrow	>5/13	5/8-5/8		>5/6	>5/22		>5/15	>4/24	>5/10	3/1-5/8	>4/25	>5/12	>5/7	>5/10	>5/11	>5/7	>5/4	>5/15	>5/4	>5/16	3/25>		>5/7
Dark-eyed Junco	>4/28		>5/3		>4/24			>4/30		3/1-4/28				>4/22			>4/24		>4/25			4/1>	
Lapland Longspur					>2/18		>2/7										>2/3						
Snow Bunting					>2/28	>3/5									3/10-3/10								>2/28
Rose-breasted Grosbeak	4/20>	5/9>	4/30>	5/1>	4/30>	5/3>	5/2>	4/26>	5/2>	5/5-5/12	4/30>	4/26>	4/19>	5/3>	4/28>	5/5>	4/28>	4/30>	4/28>	4/22>	4/22>	5/8>	5/1>
Blue Grosbeak			5/16>		5/8>			5/2>			5/2>		6/11>				5/9>	5/28>	5/15>			6/10>	
Indigo Bunting	5/1>	5/21>	5/2>	5/6>	5/1>	5/8>	4/25>	5/2>	5/3>	4/30-5/14	5/4>	5/8>	5/7>	5/1>	5/6>	4/16>	5/9>	5/6>	5/1>	5/3>	5/2>	5/8>	4/30>
Dickcissel					6/3>			>3/3					5/8>							5/30-5/30			
Bobolink	5/2>	4/30>	5/3>	4/30>	4/29>	5/8>	5/7>	4/19>	5/7>	5/1-5/28	5/6>	5/8>	5/1>	4/29>	5/8>	5/3>	5/5>	5/3>	5/15>	4/30>	4/26>	5/8>	5/1>
Red-winged Blackbird	2/26>	2/14>	3/1>	3/7>		3/10>	2/8>		3/4>	3/1-5/31		3/16>	3/7>			3/2>			3/2>	3/5>		4/1>	3/9>
Eastern Meadowlark	3/14>	4/16>			4/7>	3/19>				3/1-5/31					3/19>		4/7>	1/29>	3/28>		3/10>	4/1>	
Rusty Blackbird	3/14-4/3	4/16>	3/10-4/3	3/7-3/26	>5/3		3/20-5/1	3/19-5/2		3/26-5/8	3/27-4/29	2/13-2/19	4/22>		2/12-5/8	3/7-5/11	4/20-4/20	3/25>		3/22>	3/21-4/1	4/2-4/2	
Common Grackle	2/27>	3/15>								3/1-5/31				3/2>	2/10>				3/2>		3/7>	4/1>	
Brown-headed Cowbird	3/2>	4/11>								3/3-5/31				3/22>								4/1>	
Orchard Oriole	4/25>	5/20>	5/4>	5/8>	4/30>		4/1>	4/25>	5/4>	4/24-5/14	4/28>		5/1>	4/28>	5/1>	5/5>		4/30>	5/1>	4/30>	5/22>	5/22>	
Baltimore Oriole	4/25>	4/30>	5/1>	5/1>	4/29>	5/5>	5/1>	4/29>	5/4>	5/1-5/31	4/14>	5/5>	4/30>	5/1>	5/1>	5/1>	4/23>	5/1>	4/30>	4/25>	4/30>	5/8>	5/2>
Purple Finch			3/10-3/15		>4/1			>4/24						>4/15			3/14>				4/18>	4/2>	
Red Crossbill													>4/22										
Pine Siskin	4/12-5/5				>3/23							>4/26											
Evening Grosbeak																					3/21>		